



TO-3216BC-BF


Surface Mount Device LED

Part Number		Chip	Lens Color
	Material	Source Color	Lens Color
TO-3216BC-BF	InGaN	Bule	Water Clear

Features

- IC compatible
- Compatible with automatic placement equipment
- Compatible with infrared and vapor phase reflow soldering process
- Top view type
- Pack in 8 mm tape on 7" diameter reel
- RoHS compliant
- Moisture sensitivity Level: level 3

Dimensions



Notes:

- 1. All dimensions are in millimeter.
- 2. Tolerance is ±0.1mm unless individual mark noted.

Taiwan Oasis Technology Co., Ltd.





Absolute Maximum Rating @ Ta=25°C

Parameter	Maximum Rating	Unit
Peak Forward Current (1/10 Duty Cycle, 0.1ms Pulse Width)	80	mA
Power Dissipation	105	mW
Continuous Forward Current	25	mA
Reverse Voltage	5	V
Operating Temperature Range	-40°C to +80°C	
Storage Temperature Range	-40°C to +100°C	
IR Reflow Soldering Profile For Lead Free Soldering	260°C for 10 sec	

Electrical / Optical Characteristic @ Ta=25°C

Parameter	Symbol	Min.	Тур.	Max.	Unit	Test Condition
Luminous Intensity	lv	85		160	mcd	I _F =10mA
Viewing Angle	20 _{1/2}		140		deg	I _F =10mA
Forward Voltage	V _F	2.6		3.4	V	I _F =10mA
Dominant Wavelength	λ_d	465		475	nm	I _F =10mA
Spectral Line Half-Width	$ riangle_{\lambda}$		20		nm	I _F =10mA
Reverse Current	I _R			10	μA	V _R =5V

Taiwan Oasis Technology Co., Ltd.


www.oasistek.com.tw

Doc No :GS1608010





Typical Electrical / Optical Characteristics Curves




Taiwan Oasis Technology Co., Ltd.





Package Dimensions of Tape and Reel (Units: mm)



Taiwan Oasis Technology Co., Ltd.

REV.: A-1 Prepared by dean.feng Released Date:2016-5-26 Notes: Above specification may be changed without notice.

Doc No :GS1608010






Reliability Testing

Item	Condition	Time	
Thermal Shock	-40°C*30mins~100°C*30mins	300 Cycles	
Temperature Humidity Storage	Ta= 65℃ RH=90%	500h	
High Temperature Storage	Ta= 100℃	500h	
Low Temperature Storage	Ta= -40°C	500h	
DC Operating Life	Ta=25℃ 20mA	1000h	
Resistance to Soldering Heat	Refer to recommended profile	1 time	
IR-Reflow Normal Process			
Resistance to Soldering Heat	Refer to recommended profile	1 time	
IR-Reflow Pb Free Process			

Soldering Conditions

Reflow Soldering		Hand Soldering		
	Lead Solder	Lead-free Solder		
Pre-heat	120~150 ℃	180~200 ℃	Temperature	350℃ Max
Per-heat time	120sec Max	120 sec Max	Soldering time	3 sec Max
Peak	240°∁	260°C Max		(one time only)
Temperature				
Soldering time	10 sec Max	10 sec Max		
Condition				



Taiwan Oasis Technology Co., Ltd.

Doc No :GS1608010





CAUTIONS

The LED's are devices which are materialized by combining Blue LED's and special phosphors. Consequently the color of the LED's is changed a little by an operating current. Care should be taken after due consideration when using LED's.

(1) Moisture Proof Package:

When moisture is absorbed into the SMT package it may vaporize and expand during soldering .

There is a possibility that this can cause exfoliation of the contacts and damage to the optical

Characteristics of the LED's . For this reason , the moisture proof package is used to keep

Moisture to a minimum in the package.

(2) Storage

Storage Conditions

Before opening the package:

The LED's should be kept at 30° C or less and 60%RH or less. The LED's should be used With in a year. When storing the LED's moisture proof packaging with absorbent material (silica gel)is recommended.

After opening the package:

The LED's should be kept at 30 $^\circ$ C or less and 50%RH or less. The LED's should be soldered

Within 168 hours (7days) after opening the package . If unused LED's remain, they should be Stored in moisture proof packages, such as sealed containers with packages of moisture

Absorbent material (silica gel). It is also recommended to return the LED's to the original moisture proof bag and to reseal the moisture proof bag again.

If the moisture absorbent material (silica gel) has faded away or the LED's have exceeded the storage time , baking treatment should be performed using the following conditions. Baking treatment : more than 48 hours at $65\pm5^{\circ}$

TAIWAN OASIS LED electrode and lead free are comprised of a silver plated copper alloy .The silver Surface may be affected by environmemts which contain corrosive gases and so on .Please Avoid conditions which may cause the LED to corrode, tarnish or discolor. This corrosion or Discoloration might lower solderability or might affect on optical characteristics.

Please avoid rapid transitions in ambient temperature, especially in high humidity environments. Where condensation can occur .

(3) Heat Generation

Thermal design of the end product is of paramount importance. Please consider the heat generation of the LED when making the system design. The coefficient of temperature increase per input electric power is affected by the thermal resistance of the circuit board and density of LED placement on the board ,as well as other components. It is necessary to avoid intense heat generation and operate within the maximum ratings given in this specification.

The operating current should be decided after considering the ambient maximum temperature of LED's.

(4) Cleaning

It is recommended that isopropyl alcohol be used as a solvent for cleaning the LED 's. when using other solvents, it should be confirmed beforehand whether the solvents will dissolve

The package and the resin or not .Freon solvents should not be used to clean the LED's because of worldwide regulations.

Taiwan Oasis Technology Co., Ltd.





Do not clean the LED's by the ultrasonic .When it is absolutely Necessary, the influence of ultrasonic cleaning on the LED's depends on factors such as ultrasonic power and the assembled condition. Before cleaning, a pre-test should be done to

Confirm whether any damage to the LED's will occur.

(5) Static Electricity

Static electricity or surge voltage damages the LED's .

It is recommended that a wrist band or an anti-electrostatic glove be used when handling the LED's.

All devices ,equipment and machinery must be properly grounded. It is recommended That measures be taken against surge voltage to the equipment that mounts the LED's .

When Inspecting the final products in which LED's were assembled, It is recommended to check. Whether the assembled LED's are damaged by static electricity or not. It is easy to find Static-damaged LED's by a light –on test or a VF test at a lower current (below 1mA is recommended).

Damaged LED's will show some unusual characteristics such as the leak current

Remarkably increases, the forward voltage becomes lower, or the LED's do not light at the low Current.

Criteria :(Vf>2.0V at If=0.5mA)

(6) Others

Care must be taken to ensure that the reverse voltage will not exceed the absolute maximum rating when using the LED's with matrix drive.

The LED light output is strong enough to injure human eyes .Precautions must be taken to prevent looking directly at the LED's with unaided eyes for more than a few seconds.

Flashing lights have been known to cause discomfort in people ; you can prevent this by taking precautions during use . Also, people should be cautions when using equipment that has had LED's incorporated into it.

The LED's described in this brochure are intended to be used for ordinary electronic equipment (such as office equipment, communications equipment, measurement instruments and household appliances) Consult TAIWAN OASIS's sales staff in advance for information on the applications in which exceptional quality and reliability are required, particularly when the failure or malfunction of the LED's may directly jeopardize life or health (such as for airplanes, aerospace, submersible repeaters, nuclear reactor control systems ,automobiles ,traffic control equipment , life support systems and safety devices). User shall not reverse engineer by disassembling or analysis of the LED's without having prior written consent from TAIWAN OASIS when defective LED's are found ,the User shall inform TAIWAN OASIS directly before disassembling or Analysis. The formal specifications must be exchanged and signed by both parties before large volume Purchase begins. The appearance and specifications of the product may be modified for improvement without Notice.

Taiwan Oasis Technology Co., Ltd.

www.oasistek.com.tw

Doc No :GS1608010