



CUSTOMER: ELECTRONICS SOURCE CO., LTD DATE: June 09,2019

SPECIFICATION

DESCRIPTION: Aluminium Electrolytic Capacitors

- EM71CM100C07OT AISHI P/N:
- SERIES: **M7**
- $\mu F (\Phi \ 4 \ \times \ 7 \)$ **ITEM:** 16 V 10

CUSTOMER P/N:

No.: CRS-JD-1906107

APPROVED BY


Please Return One Copy with Your Approval 承认后请寄回一份

PREPARED BY	CHECKED BY	APPROVED BY
游霞	許雷冰	黄速彬

• 变更记录 Change Records

编号 No.	更改原因 Explanation of changes	更改内容 Content	生效日期 Effective date
CRS-JD-1906107	新建	新建	2019/06/09





「文华泉团 」 AISHi

1 概述 SCOPE

本承认书规定了M7系列径向引线引出铝电解电容器的技术规范,本技术规范条文解释权归本公司所有。 This specification covers"M7 series" miniature single-ended aluminium electrolytic capacitors, AISHI reserves the right of final interpretation for this technical specification.

2 参考标准 APPLICABLE SPECIFICATION

本承认书参考JIS-C-5101-1和 JIS-C-5101-4制定。

This specification consulted the institute of JIS-C-5101-1 and JIS-C-5101-4.

3 工作温度范围 OPERATING TEMPERATURE RANGE

工作温度范围是电容器在施加额定工作电压条件下,可以长期可靠工作的环境温度范围。 -40℃~+85℃(4 VDC~100 VDC) Operating temperature range is the range of ambient temperature at which the capacitor can be operated continuously at rated voltage.

-40°C~+85°C 4V.DC~100V.DC

4 测试环境 CONDITION OF TEST

如果没有其他规定,标准的测试、检验环境条件如下所示: 环境温度:15℃~35℃ 相对湿度:45%~75% 大气压力:86kPa~106kPa

如果对测试结果有异议,可以在以下条件测试: 环境温度:20±1℃ 相对湿度:60%~67% 大气压力:86kPa~106kPa

Unless otherwise specified, the standard range of atmospheric conditions for making measurements and tests are as follows:

Ambient temperature : 15°C to 35°C Relative humidity : 45% to 75% Air pressure : 86kPa to 106kPa

If there may be doubt on the results, measurements shall be made within the following limits: Ambient temperature : $20\pm1^{\circ}C$

Relative humidity : 60% to 67% Air pressure : 86kPa to 106kPa

File Description	Approval Sheet					
Component P/N	M7	Version	01	Page	1	
STANDARD MANUAL						

5 产品特性 PRODUCT CHARACTERISTICS

5.1电气特性 Electrical Characteristics

序号 No.	项目 Item	测试方法 Test method	性能 Performance
5.1.1	额定工作电压 Rated voltage	电压:直流电压值+交流电压峰值≤额定电压 Voltage: DC voltage + peak ripple voltage ≤ Rated voltage	见表1 See TABLE-1
5.1.2	电容量 Capacitance	测试频率: 120Hz(±20%) 测试电路: 串联等效 测试电压: 0.5Vrms以下+1.5~ 2.0VDC Measuring frequency: 120Hz±20% Measuring circuit: Series equivalent circuit Measuring voltage: 0.5Vrms or less +1.5 to 2.0 VDC	容量偏差: -20%~+20% Capacitance tolerance: -20%~+20%
5.1.3	损失角正切值 Dissipation factor	测试条件与5.1.2电容量测试相同。 Testing conditions are the same as 5.1.2 for capacitance.	DF见表1 DF: See TABLE-1
5.1.4	漏电流 Leakage current	在电容器两端施加额定工作电压,并串联 1000±100Ω电阻,在施加规定时间电压后,测 量漏电流。 测试电路如下图: The rated voltage shall be applied across the capacitor and its protective resistor shall be 1000±100Ω. The leakage current shall then be measured after an electrification period of schedule time.Measurement circuit: $\underbrace{S1 Rs}_{S2} Cx$ Rs: Protective resistor(1000±100Ω) DC ammeter DC voltmeter S1: Switch S2: Protective switch for an ammeter	4V~100V: I≤0.01CV或3μA, 取较大值(2分钟后)。 4V~100V: I≤0.01CV or 3μA Whichever is greater (after 2 min). I: 漏电流 (μA) C: 容量 (μF) V: 额定工作电压 (V) I: Leakage current(μA) C: Capacitance(μF) V: Rated voltage (V)

File Description	Approval Sheet				
Component P/N	M7	Version	01	Page	2
STANDARD MANUAL					

文华集团 AISHi

ALUMINUM ELECTROLYTIC CAPACITOR

		阶段	温度	时间	阶段2:		
		1	20±2°C		阻抗值与阶段1阻抗值相比 , 不大于表2要求 ; 阶段4 :		
		2	-25, -40-3 °C	2h	容量变化应在初值的±20%范围内。		
		3	20±2°C	15min.	Step 2: Impedance value ratio to the value at step 1 shall be not		
		4	105 ⁺³ °C	2h	more than the value given in TABLE-2. Step 4:		
5.1.5	温度特性 Temperature characteristic	120Hz±20 阶段2: 电 阻抗(z - 阶段4: 电 电容量。 Step 1: Co measured Step 2: Af hours, imp stability. (Step 4: Aff 2 hours, c	段1:测量容量和阻抗(z 20℃ 20Hz±20%); 段2:电容器恒温贮存2小时,在热平衡状态测 抗(z - 25, -40℃ 120Hz±20%); 段4:电容器恒温贮存2小时,在热平衡状态测		Variation of capacitance Within ±20% of the initial value.		
5.1.6	耐浪涌电压 Surge test	5.5±0.5分 测试温度 然后在标 Applicatio TABLE-1. dischargir Test temp And the c atmosphe	幹作为一个周 : 15℃-35℃ 佳大气条件下放 n of DC surge 1000 times of ng with a period perature: 15℃-3 apacitor shall b eric conditions t after which mea	充电30±5秒,放电 朝,共进行1000次。 T置达到热稳定,测试各 Voltage stated at charging for 30±5 sec., d of 5.5±0.5 min 35℃ be stored under standard o obtain thermal issurements shall be	容量变化:在初始值的±20%以内。损耗角正切值不大于 表1规定值的200%。 漏电流:满足5.1.4要求。 Capacitance change:Within±20% of the initial value Dissipation factor: Not more than 200% of the specified value in TABLE-1. Leakage current: To satisfy No. 5.1.4 .		
					ntaneous over voltage which may be applied to terminals er voltages as often applied.		

File Description	Approval Sheet				
Component P/N	M7	Version	01	Page	3
STANDARD MANUAL					

5.2 机械特性 Mechanical Performance

序号 No.	项目 Item				特性 Performance			
		端子抗拉强度 沿电容器端音		测量电容器应无接触不良、开 路或短路 , 无可见机械损伤。 When the capacitor is				
		引线直径Φ	0.45	0.5	0.6	0.8	1.0	measured, there shall be no
		拉力N	ł	5	1	0	20	intermittent contacts, or open or short-circuiting.
		端子抗弯强度 在电容器引修 位,再向相反	线施加固定重			容体弯折90	°后回到原	There shall be no visible mechanical damage.
		上述过程在5	秒内完成。					
5.2.1	端子强度 Terminal	引线直径Φ	0.45	0.5	0.6	0.8	1.0	
0.2.1	strength	拉力N	2	.5		5	10	
		Tensile strer	ngth of termi	nal:				
		A static load in the axial c sec	lirection and					
		Bending stre	-					
		Hang the sp the body thre						
		Next bend it return to the Complete th	original pos					
5.2.2	振动试验 Resistance to vibration	依据JISC 5101-1 4.17试验。 在3个互相垂直的方向分别施加2小时振动,共6小时。 频率:10-55Hz 振幅:1.5mm. 振速:1分钟内振速10~55~10Hz To comply with JIS C 5101-1 4.17					测量电容器应无接触不良开路 或短路 , 无可见机械损伤。 When the capacitor is measured there shall be no intermittent contacts, or open or short circuiting。 There shall be no visible mechanical damage.	
5.2.3	可焊性 Solderability	依据JISC 5101-1 4.15进行试验。 焊锡温度: 235±5℃ 浸入时间: 2±0.5秒 To comply with JISC 5101-1 4.15 Temperature of solder: 235±5℃ Dipping time: 2±0.5sec. This specification shall be met after the capacitors are stored under standard atmospheric conditions for 6 months.					浸入焊锡的引线表面积约90% 以上应附着新锡。 At least 90% of circumferential surface of the dipping portion of terminal shall be covered with new solder.	

File Description	Approval Sheet				
Component P/N	M7	Version	01	Page	4
STANDARD MANUAL					

5.3 耐久性测试 Endurance Performance

序号 No.	项目 Item	测试方法 Test method	特性 Performance
5.3.1	耐焊接热 Resistance to soldering heat	焊槽法: 焊锡温度:260±5℃ 浸入时间:10±1秒 电路板:1.6mm Solder bath method Solder bath temperature:260±5℃ Immersion time:10±1sec. Printed wiring board: 1.6mm	容量变化:在初始值±10%范围内。 损失角正切值:不大于表1规定值。 漏电流:满足5.1.4要求。 外观:无异状。 Variation of capacitance: Within ±10% of the initial value. Dissipation factor: Not more than the specified value in TABLE-1. Leakage current: To satisfy No. 5.1.4 . Appearance: No remarkable abnormality.
5.3.2	稳态湿热 Resistance to damp heat (steady state)	小时,然后测试参数。 Test time : 240±8h Relative humidity: 90~95% After completion of test, the capacitor shall be subjected to standard	容量变化:在初始值±10%范围内。 损失角正切值:不大于表1规定值。 漏电流:满足5.1.4要求。 外观:无异状。 Variation of capacitance: Within ±10% of the initial value. Dissipation factor: Not more than the specified value in TABLE-1. Leakage current: To satisfy No. 5.1.4. Appearance: No remarkable abnormality.
5.3.3	高温负荷试验 Load life test	1. 试验温度:85±2℃,施加额定电压。 Application of the rated voltage , Test temperature:85±2℃. 2. 试验时间:参照TABLE-1寿命要求。 Testing time: refer to TABLE-1 life requirements.	容量变化:在初始值±20%范围内。 损耗角正切值:不大于表1规定值的200%。 漏电流:满足5.1.4要求。 外观:无异状。 Variation of capacitance: Within ±20% of the initial value. Dissipation factor: Not more than 200% of the specified value in TABLE- 1. Leakage current: To satisfy No. 5.1.4 . Appearance: No remarkable abnormality.

File Description	Approval Sheet				
Component P/N	M7	Version	01	Page	5
STANDARD MANUAL					

		在85±2℃环境下无负荷贮存 500 -0 h,至少恢复16小时后。	容量变化:初始值±20%范围内。
		The capacitors are stored without voltage load at $85\pm2^\circ\!\mathrm{C}$	损耗角正切值:不大于表1规定值的200%
		for $500 \frac{+48}{-0}$ h and then resumed 16 hours.	。 漏电流:满足5.1.4规定值的200%。
			外观:无异状。
5.0.4	高温贮存试		Variation of capacitance:
5.3.4	验 Shelf life test		Within ±20% of the value before test.
			Dissipation factor: Not more than 200% of the specified value in TABLE-1. Leakage current: Not more than 200% of the specified value in No. 5.1.4.
			Appearance: No remarkable abnormality.
		以下试验只适用于铝壳直径≥Φ8产品。 The following tests only apply to those products with vent products at diameter≥Φ8 with vent.	上述过程中应无引线、铝箔等散射 , 无火 花产生。 The safety vent is actuated under the
5.3.5	防爆试验 Safety vent	在电容器两极施加反向直流电压,其中通过的电流为1A,在测 试时防爆装置应能在30分钟内动作。 DC Application test: The capacitor shall be subjected to a reverse DC voltage. The current flowing through the capacitor shall be 1A. If the vent does work with the voltage applied for 30 minutes, the test is considered to be passed.	test conditions, thereby preventing terminals, metal pieces, etc, of the capacitor from scattering due to burst, the case from separating from the seal packing, or the capacitor from producing flame.

※ TABLE-2:阻抗比 Max. Impedance Ratio

额定工作 电压 Rated voltage (v)	4	6.3	10	16	25	35	50	63	100
z -25℃ / z 20℃	6	4	3				2		
z -40℃ / z 20℃	16	10	8	6			4		

※ TABLE-3: 纹波电流频率因子 RIPPLE CURRENT FREQUENCY COEFFICIENT

Freq.(Hz) Cap(µF)	50/60	120	1k	10k-100k
4 to 16	0.80	1.00	1.10	1.20
25 to 35	0.80	1.00	1.50	1.70
50	0.80	1.00	1.60	1.90

File Description	Approval Sheet					
Component P/N	M7 Version 01 Page 6					
	STANDARD MANUAL					

6 标记 MARKING

6.1 在电容器体上应注明如下内容:

(1)生产厂	商商标
--------	-----

- (2)型号-额定温度
- (3) 周期代码-我司代码-套管材质

(4) 电压容量

(5)负极标志

∕∕iSHi

M7 85℃ YyWw□PET (Yy表示年份, Ww表示制造周期, □表示我司代码,我司代码:"Z、Y、J、S……" PET表示套管材质)

VµF

6.1 The Following Items Shall Be Marked Indelibly On The Capacitor:

(1) Manufacture's name or trade mark.

- (2) Series rated temperature
- (3) Date code- AIHUA code -sleeve material

∕lishi

M7 85℃ YyWw□PET (Yy denotes last two digit of years and Ww

denotes the week in which the capacitor been manufactured, \Box denotes the code of AIHUA, AIHUA code: " Z, Y, J, S......" PET denotes the sleeve material)

(4) Voltage / Capacity

(5) Negative polarity



6.2 标记颜色 Color

套管颜色:黑色 标记颜色:白 Sleeve color: Black Marking color: White

6.3: 纹波电流温度系数 RIPPLE CURRENT TEMPERATURE COEFFICIENT

85℃ max.capacitors

Capacitor ambient temperature 电容器环境温度	5℃及以7	66~75 ℃	76~85 ℃
Guide limit of max.△Tx 中心温升△Tx最大极限值	20 ℃	15 ℃	10 ℃
Temperature coefficient(Actualrmsripple / Ratedrmsmax. ripple) 温度系数(实际纹波值/额定最大纹波值)	1.41	1.22	1.00

NOTE:Temperature coefficient is not used in life formula but for reference.


注:温度系数不使用在寿命计算公式中,只能作为参考。

File Description	Approval Sheet						
Component P/N	M7	Version	01	Page	7		
	STANDARD MANUAL						

文华集团 AiSHi

ALUMINUM ELECTROLYTIC CAPACITOR

7 物料编码 PART NO SYSTEM



1 Category code

Turne	Code
Туре	1th
Electrolytic Capacitor	E

$\textcircled{0} Series \ code$

Series name	Code		
Selles lidille	Code 2th 3th M 7		
M7	Μ	7	

WV (V)	Code			
VVV (V)	4th	5th		
4	0	G		
6.3	0	J		
10	1	А		
16	1	С		
25	1	E		
35	1	V		
40	1	G		
50	1	Н		
63	1	J		
80	1	В		
100	1	K		
120	2	В		
140	2	А		
160	2	С		
180	2	L		
200	2	D		
220	2	N		
250	2	E		
300	2	М		
315	2	F		
350	2	V		
380	2	Р		
400	2	G		
420	2	Т		
450	2	W		
500	2	Н		
550	2	J		

③Voltage code

(4) Capacitance tolerance code			
Code			
6th			
K			
М			
Q			
Т			
V			
A			
С			
В			
D			
E			
F			
N			
G			
Н			

Cap (μF) Code 7th 8th 9t 0.10 R 1 0 0.22 R 2 2 0.33 R 3 3 0.47 R 4 7 0.68 R 6 8 1 0 1 0 1.5 1 R 5 2.2 2 R 22	
0.10 R 1 00 0.22 R 2 22 0.33 R 3 3 0.47 R 4 77 0.68 R 6 88 1 0 1 00 1.5 1 R 55	
0.22 R 2 2 0.33 R 3 3 0.47 R 4 7 0.68 R 6 8 1 0 1 0 1.5 1 R 5	
0.33 R 3 3 0.47 R 4 7 0.68 R 6 8 1 0 1 0 1.5 1 R 5	3 7 1 1 1 1 1 1
0.47 R 4 7 0.68 R 6 8 1 0 1 0 1.5 1 R 5	
0.68 R 6 8 1 0 1 0 1.5 1 R 5	
1 0 1 0 1.5 1 R 5) ; ;
1.5 1 R 5	2
	2
22 2 R 2	
IX Z	
3.3 3 R 3	
4.7 4 R 7	'
5.6 5 R 6	i
6.8 6 R 8	
8.2 8 R 2	
10 1 0 0)
12 1 2 0)
15 1 5 0)
18 1 8 0)
22 2 2 0)
33 3 3 0)
47 4 7 0)
56 5 6 0)
68 6 8 0)
82 8 2 0)
100 1 0 1	
150 1 5 1	
220 2 2 1	
330 3 3 1	
470 4 7 1	
560 5 6 1	
680 6 8 1	
820 8 2 1	
1000 1 0 2	
1500 1 5 2	
2200 2 2 2	
3300 3 3 2	2
4700 4 7 2	2
6800 6 8 2	
10000 1 0 3	;
22000 2 2 3	
33000 3 3 3	
68000 6 8 3	
⑧Sleeve code	
Sleeve	
16th	
PVC C	
PET T	

~			
6)S	ize	COL	ł۵

6 Size code	
ΦD	Code
ΨD	10th
4	С
5	D
6.3	E
8	F
10	G
11	Н
12	J
12.5	W
13	K
14	Х
16	X L
18	M
19	Z
20	N
22	0
25	Р
30	Q
35	R
40	Y
51	S
63.5	Т
76	U
90	V

L	Coo	le		
L	11th	12th		
5	0	5 7		
7	0	7		
9	0	9		
10	1	0		
11	1	1		
12	1	2		
13	1	3		
14	1	4		
16	1	6		
20	2	0		
25	2	5		
30	2 2 3 3	0		
31	3	1		
35	3	5		
40	4	0		
45	4	5		
46	4	6		
50	5	0		
60	6	0		
80	8	0		
100	А			
115	В	5		
120	С	0		
130	D	0		
140	E	0		
160	G	0		
200	К	0		

⑦Terminal code


Onesifientien	Code		Size
Specification	13th	14th	15h
Bulk packing	0	-	-
编带Taping F=5mm (Φ4~Φ8)	Ρ	5	0
Taping F=2.5mm (Φ4~Φ5)	х	2	5
		5	0
Tanad Straight		3	5
Taped Straight-	В	2	5
pack		2	0
		1	5
Lead Cut L=3.6mm	С	3	6
Lead Cut L=11.0mm	С	В	0
Lead Forming & cut L=4.5mm	F	4	5
Kink & cut L=4.5mm	J	4	5
Long lead wire (-30mm)	G	-	-
Horizontal forming	L	G	1

File Description	Approval Sheet									
Component P/N	M7 Version 01 Page 8									
STANDARD MANUAL										


8 加工型式 LEAD FORMING TYPE

8.1 编带 Taping

PIN Code: Χ ΦD=4~5




PIN Code: Β ΦD=4~8



File Description	Approval Sheet									
Component P/N	M7 Version 01 Page 9									
	STANDARD MANUAL									


PIN Code: B ΦD=10~12.5



DIMENSIONS(mm)

									CASE SIZ	ZE				
Items	Symbol	4x 4x		5× 5×	-		<11 <12	6.3x5	6.3x7 6.3x9 6.3x11 6.3x12	8x5 8x7 8x11 8x12	8x16 8x20	10x12 10x13 10x16 10x20	12.5x16 12.5x20	Tolerance
Lead forming symbol		х	В	Х	В	х	В	В	В	В	В	В	В	
Lead-wire diameter	Φd	0.4	45	0.4	45	C).5	0.45	0.5	0.45/0.5	0.5/0.6	0.6	0.6	±0.05
Pitch of componet	Р	12	.7	12	.7	1:	2.7	12.7	12.7	12.7	12.7	12.7	15.0	±1.0
Feed hole pitch	P0	12	.7	12	.7	1	2.7	12.7	12.7	12.7	12.7	12.7	15.0	±0.2
Hole center to lead	P1	5.1	5.6	5.1	5.4	5.1	5.4	5.1	5.1	4.6	4.6	3.85	5.0	±0.7
Hole center to component	P2	6.3	35	6.3	35	6	.35	6.35	6.35	6.35	6.35	6.35	7.5	±1.0
Lead to lead distance	F	2.5	1.5	2.5	2.0	2.5	2.0	2.5	2.5	3.5	3.5	5.0	5.0	±0.5
Height of component from tape center	Н	18	.5	18	.5	1	8.5	18.5	18.5	18.5	18.5	18.5	18.5	±0.75
Tape width	W	18	.0	18	.0	1	8.0	18.0	18.0	18.0	18.0	18.0	18.0	±0.5
Hold down tape width	W0	11	.0	11	.0	1	1.0	11.0	11.0	11.0	11.0	11.0	11.0	min
Feed hole position	W1	9.	0	9.	0	ç	9.0	9.0	9.0	9.0	9.0	9.0	9.0	+0.75 -0.5
Hole down tape position	W2	3.	0	3.	0	3	8.0	3.0	3.0	3.0	3.0	3.0	3.0	max

File Description	Approval Sheet								
Component P/N	M7 Version 01 Page 10								
		STANDARD	MANU	۹L					





DIMENSIONS(mm)

						Case Si	se				
Items	Symbol	4x5 4x7	5x5	5x7	5x11	6.3x5	6.3x7	6.3x11	8x5 8x7 8x11 8x12	8x16 8x20	Tolerance
Lead forming symbol		Ρ	Р	Ρ	Ρ	Ρ	Ρ	Р	Р	Ρ	
Lead-wire diameter	Φd	0.45	0.45	0.45	0.5	0.45	0.5	0.5	0.45/0.5	0.5/0.6	±0.05
Pitch of componet	Р	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	±1.0
Feed hole pitch	P0	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	±0.2
Hole center to lead	P1	3.85	3.85	3.85	3.85	3.85	3.85	3.85	3.85	3.85	±0.7
Hole center to component	P2	6.35	6.35	6.35	6.35	6.35	6.35	6.35	6.35	6.35	±1.0
Lead to lead distance	F	1.5	2.0	2.0	2.0	2.5	2.5	2.5	3.5	3.5	±0.5
Lead to lead distance	F1	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	+0.8 -0.2
Height of component from tape center	Н	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	±0.75
Lead-wire clinch height	H0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	±0.5
Tape width	W	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	±0.5
Hold down tape width	W0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	min
Feed hole position	W1	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	+0.75 -0.5
Hole down tape position	W2	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	max

File Description	Approval Sheet									
Component P/N	M7	M7 Version 01 Page 11								
STANDARD MANUAL										

8.2 端子切脚或成型 Lead Cut & Lead Forming





ΦD	F	L
10	5.0	4.0, 4.5, 5.0
12.5	5.0	4.0, 4.5, 5.0
16	7.5	4.0, 4.5, 5.0
18	7.5	4.0, 4.5, 5.0

File Description	Approval Sheet									
Component P/N	M7 Version 01 Page 12									
	STANDARD MANUAL									

9 包装PACKING

包装标签内容 Label on the packaging box or bag (The following items shall be marked on the label) (Inside box or bag):

 文华集团 AISHi


1 系列 Series 2 料号 P/N 3 容量 Rated capacitance 4 电压 Rated voltage

5 数量 Quantity 6 尺寸 Size

批号的填写 LOT Number:



编带产品按下图包装 Taped Packing



散包装按下图包装方式 Bulk Packing



外箱 carton

内盒 inner box

File Description	Approval Sheet						
Component P/N	M7	Version	01	Page	13		
STANDARD MANUAL							

10 其它说明 OTHER REMARKS

10.1铝电解电容器使用注意事项

Important Information On The Application Of Aluminium Electrolytic Capacitors

1 直流铝电解电容器应按正确的极性使用 DC aluminium electrolytic capacitors are normally polarized

当直流铝电解电容器按反极性接入电路时,电容器会导致电子线路短路,由此产生的电流会引致电容器损坏。若电路中有可能在负引线施加正电压,请选用无极性产品。

When reverse voltage is applied on DC aluminium electrolytic capacitor the circuit will be short out and the capacitor will be damaged due to abnormal current flows through the capacitor. Please use non-polar types of capacitors the positive voltage is applied on the cathode terminal.

2 在额定工作电压以下使用 Use capacitor within rated voltage

当电容器上所施加电压高于额定工作电压时,电容器的漏电流将上升,其电气特性将在短时内劣化直至损坏。 请注意电压峰值勿超出额定工作电压。

When capacitor is used at higher voltage than the rated voltage, leakage current may increase and characteristics may be deteriorated and damaged in a short period. Please take extra caution that the peak voltage should not exceed the rated voltage.

3 作快速充放电使用 Sudden charge and discharge

当常规电容器被用作快速充电用途,其使用寿命可能会因为容量下降,温度急剧上升等而缩减。 When aluminium electrolytic capacitors for general purpose-use are employed in rapid charge and discharge its life may be shortened resulted from capacitance decrease, heat rise, etc.

4 电容器储存 Storage of the capacitor

① 请保管在室温5~35℃,湿度75%以下的环境。

We recommend the following conditions for storage: Ambient temperature: 5~35°C, Ambient humidity: 75%RH;

- a) 产品储存期限:≤12个月; Storage life:≤12 months;
- b) 产品储存期限 12个月时, 需充电后再使用; If storage life 12 months, the products need to be charged again before using;
- c) 存放时间超过3年的电解电容器应报废处理; If storage time three years, the products need to be discarded;
- d) 库存有效期以套管上印刷的时间开始计算; Expiry date: calculating from the date marked on the sleeve;
- e) 请尽量以包装状态保管; Please keep capacitors in the original package;
- f) 请避免在以下环境中保管: Avoid storing the capacitors under such circumstances:
 - ※ 溅水、高温高湿及结露的环境。With water and oil or damp & dewing location
 - ※ 溅油、或者充满气体油成分的环境。With gas and oil.
 - ※ 充满酸性有毒气体 (硫化氢 , 亚硫酸 , 亚硝酸 , 氯 , 溴 , 溴化甲烷等) 的环境。

With toxic gases such as hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, bromine and methane

※ 阳光、臭氧、紫外线及放射线照射的环境。With direct sunlight, Ozone, ultraviolet rays or radiation.

② 当电容器长期储存后,漏电流会升高,温度愈高,漏电流上升愈快,因此应注意储存环境。在电容器上施加电压后,漏电流值将下降,如铝电解电容器的漏电流上升对电路有不良影响,请在使用前充电处理。

Leakage current tends to increase when capacitors have been stored for long period of time. The higher storage Temp.rise, the higher leakage current increase. Please take caution when selecting the storage location. The leakage current will decrease gradually as voltage is applied to the capacitor. The capacitor is subjected to aging before using where increased leakage may cause problems in the circuit.

5 施加纹波电流应小于额定值 Use capacitor within rated ripple current

施加纹波电流超过额定值后,会导致电容器体过热,容量下降,寿命缩短。电容器上标注了额定电压,请将和直流电压叠加的纹波 电压的峰值控制在额定工作电压以下。

If excessive ripple current is applied on the capacitor, excessive heat will be generated inside, the capacitance be reduced and capacitor's life shall be shortened. Rated voltage has been marked on the capacitor; therefore, the peak value of the ripple voltage should be less than the rated voltage.

File Description	Approval Sheet						
Component P/N	M7	Version	01	Page	14		
STANDARD MANUAL							

6 使用环境温度 Ambient temperature

铝电解电容器使用寿命会受到环境温度的影响。据科学统计,使用环境温度下降10℃其使用寿命增加1倍。

Life of aluminium electrolytic capacitor is affected by the ambient temperature. It is generally known that the life doubles for each 10°C decrease in temperature.

7 引出线强度 Tensile strength of lead wire

当拉力施加到电容器引出线,该拉力将作用于电容器内部,这可能导致电容器内部短路,开路或漏电流上升。在电容器焊装到电板,请勿强烈摇动电容器。

When a strong force is applied to the lead wires or terminals, stress is put on the internal connections, which may result in short circuit, open circuit or leakage current increase. Therefore it is not advisable to bend or handle a capacitor after it has been to the PC board.

8 焊接过程耐热性 Heat resistance at the soldering process

当电容器装至电路板浸焊或波峰焊时,其塑料套管可能因焊接时间过长、温度过高而发生破裂或二次收缩。

During soldering process, secondary shrinkage or sleeve crack may occur when soldering temperature is too high or soldering time is too long.

9 电路板的安装孔孔距及安装位置 Hole pitch and position of PC board

电路板安装孔的设计应与产品说明书的引线脚距相一致,如果将电容器强行插入孔距不配套的电路板,那么会有应力作用于引出线,这可能导致短路或漏电流上升。

When designing a PC board, its hole pitch should be designed to coincide with the lead pitch(lead spacing) of the specified in the catalog or specifications. When a capacitor is forcibly inserted into an unmatched hole pitch, a will put on the leads and which could result in a short circuit or increased leakage current.

10 关于焊接以后的清洗 Cleaning after soldering

①电容器不能用卤化有机物系列的清洗剂进行清洗。如果必须清洗,请使用能够保证电容器质量的清洗剂。

The aluminium electrolytic capacitors should be free of halogenated solvents during board cleaning after soldering. Use solvent proof capacitors when halogenated solvents are used.

②对于能够保证电容器质量的清洗剂,清洗后请不要在清洗溶液或者密封容器中保管。清洗后的电容器请和电路板一起在热风下 燥10分钟以上,热风的温度不可高于电容器规定上限温度。

After cleaned with the solvent which can guarantee the quality of capacitors, the capacitors should not be kept in solvent environments of non-ventilated places. Let the capacitors after cleaning dry with hot blast fully above 10 mins and the temperature of hot blast should not be over than specified upper limit of that of capacitors.

11 关于固定剂以及镀层 (涂层剂) Adhesives、fixative and coating materials(coating agent)

①请不要使用含有卤化有机物系列的固定剂及镀层(涂层剂)。

Do not use halogenated adhesives and coating materials to fix aluminium electrolytic capacitors.

②请不要让固定剂及镀层(涂层剂)将电容器封口部位(端子一侧)全部封住。

Do not cover up all the sealing area of capacitors with adhesives, fixative or coating materials(coating agent),make coverage only partial.

12 符合 RoHS RoHS Compliance

符合欧盟RoHS的最新标准,若客户有特殊要求,按照双方签订的相关协议为准。

Completely in accordance with the latest standard of RoHS or relevant agreements reached by both parts if customer has special requirements.

File Description	Approval Sheet						
Component P/N	M7	Version	01	Page	15		
STANDARD MANUAL							