



DGR100-60A H=50.5mm

IEC 800V/100A 35mm²
UL 600V/101A 20-2AWG
Poles 1P-XXP



DGR175 H=48.0mm

IEC 800V/175A 70mm²
UL 600V/175A 20-2/0AWG
Poles 1P-XXP



DGR175-20A H=48.0mm

IEC 800V/175A 70mm²
UL 600V/175A 20-2/0AWG
Poles 1P-XXP



DG048

CE —
UL 600V/10A —
Poles 2P



DS2.5PH

CE 320V/20A 0.2-2.5mm²
UL 300V/13A 24-16AWG



DS2.5RH

CE —
UL —



DS2.5K3

CE 500V/20A 0.75-2.5mm²
UL 300V/13A 18-14AWG




DS2.5K6

CE 500V/20A 0.75-2.5mm²
UL 300V/13A 18-14AWG



DS2.5K3-CLAMP

CE — 0.75-2.5mm²
UL — 18-14AWG



DS series

The product is designed according to IEC/EN60947, UL1059, CSA C22.2 No. 158.



DS1.5

CE 500V/17.5A 0.2-1.5mm²
UL 600V/15A 26-14AWG
T/W/End plate 3.5/45/1.5mm



DS2.5

CE 800V/24A 0.2-4mm²
UL 600V/20A 26-12AWG
T/W/End plate 5.2/48.5/1.5mm



DS4

CE 800V/32A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 6.2/56/1.5mm



DS6

CE 1000V/41A 0.5-10mm²
UL 600V/50A 20-8AWG
T/W/End plate 8.2/57.7/1.5mm



DS10

CE 1000V/57A 0.5-16mm²
UL 600V/65A 20-6AWG
T/W/End plate 10.2/67.7/1.5mm



DS16

CE 1000V/76A 0.5-25mm²
UL 600V/85A 20-4AWG
T/W/End plate 12.2/75.4/2.2mm



DS1.5-PE

CE — 0.2-1.5mm²
UL — 26-14AWG
T/W/End plate 3.5/45/1.5mm



DS2.5-PE

CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.2/48.5/1.5mm



DS4-PE

CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 6.2/56/1.5mm



DS6-PE

CE — 0.5-10mm²
UL — 20-8AWG
T/W/End plate 8.2/57.7/1.5mm



DS10-PE

CE — 0.5-16mm²
UL — 20-6AWG
T/W/End plate 10.2/67.7/1.5mm



DS16-PE

CE — 0.5-25mm²
UL — 20-4AWG
T/W/End plate 12.2/75.4/2.2mm



DS1.5-TW

CE 500V/17.5A 0.14-1.5mm²
UL 300V/15A 26-14AWG
T/W/End plate 3.5/45/1.5mm



DS2.5-TW

CE 800V/24A 0.2-4mm²
UL 600V/20A 26-12AWG
T/W/End plate 5.2/48.5/1.5mm



DS4-TW

CE 800V/32A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 6.2/56/1.5mm



DS6-TW

CE 1000V/41A 0.5-6mm²
UL 600V/40A 20-8AWG
T/W/End plate 8.2/57.7/1.5mm



DS1.5-TW-PE

CE — 0.14-1.5mm²
UL — 26-14AWG
T/W/End plate 3.5/45/1.5mm



DS2.5-TW-PE

CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.2/48.5/1.5mm



DS4-TW-PE

CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 6.2/56/1.5mm



DS1.5-QU

CE 500V/17.5A 0.14-1.5mm²
UL 300V/15A 26-14AWG
T/W/End plate 3.5/45/1.5mm



DS2.5-QU

CE 800V/24A 0.2-4mm²
UL 600V/20A 26-12AWG
T/W/End plate 5.2/48.5/1.5mm



DS4-QU

CE 800V/32A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 6.2/56/1.5mm



DS1.5-QU-PE

CE — 0.14-1.5mm²
UL — 26-14AWG
T/W/End plate 3.5/45/1.5mm



DS2.5-QU-PE

CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.2/48.5/1.5mm



DS4-QU-PE

CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 6.2/56/1.5mm




D-DS1.5

D-DS1.5 - DS1.5, DS1.5-PE



D-DS1.5-TW

D-DS1.5-TW - DS1.5-TW, DS1.5-TW-PE



D-DS1.5-QU

D-DS1.5-QU - DS1.5-QU, DS1.5-QU-PE



D-DS2.5

D-DS2.5 - DS2.5, DS2.5-PE




D-DS2.5-TW

D-DS2.5-TW - DS2.5-TW, DS2.5-TW-PE



D-DS2.5-QU

D-DS2.5-QU - DS2.5-QU, DS2.5-QU-PE



D-DS4

D-DS4 - DS4, DS4-PE



D-DS4-QU

D-DS4-QU - DS4-QU, DS4-QU-PE



D-DS4-TW

D-DS4-TW - DS4-TW, DS4-TW-PE



D-DS6

D-DS6 - DS6, DS6-PE



D-DS10

D-DS10 - DS10, DS10-PE



D-DS16

D-DS16 - DS16, DS16-PE



DSKK2.5

CE 500V/22A 0.2-4mm²
UL 300V/20A 26-12AWG
T/W/End plate 5.2/68.2/2.2mm




DSKK2.5-50A

CE 500V/22A 0.2-4mm²
UL 300V/20A 26-12AWG
T/W/End plate 5.2/68.2/2.2mm



DSKK2.5-PE

CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.2/68.2/2.2mm



D-DSKK2.5

D-DSKK2.5 - DSKK2.5, DSKK2.5-PE



DSKK4

CE 500V/32A 0.2-6mm²
UL 300V/28A 24-10AWG
T/W/End plate 6.2/83.5/2.2mm




DSKK4-50A

CE 500V/32A 0.2-6mm²
UL 300V/28A 24-10AWG
T/W/End plate 6.2/83.5/2.2mm



D-DSKK4

D-DSKK4 - DSKK4



DFB1.5 DFB2.5 DFB4 DFB6 DFB10 DFB16

DFB1.5 - DS1.5, DS1.5-TW, DS1.5-QU
DFB2.5 - DS2.5, DS2.5-TW, DS2.5-QU, DSKK2.5
DFB4 - DS4, DS4-TW, DS4-QU, DSKK4
DFB6 - DS6
DFB10 - DS10
DFB16 - DS16



DC series

The product is designed according to IEC/EN60947, UL 1059, CSA C22.2 No. 158.



DC2.5

CE 800V/24A 0.2-4mm²
UL 600V/25A 26-12AWG
T/W/End plate 5.1/44.5/1.5mm



DC4

CE 1000V/32A 0.2-6mm²
UL 600V/30A 22-10AWG
T/W/End plate 6.1/44.5/1.5mm



DC6

CE 1000V/41A 0.2-10mm²
UL 600V/50A 22-8AWG
T/W/End plate 8.0/45.0/1.5mm



DC10

CE 1000V/57A 0.5-16mm²
UL 600V/65A 20-6AWG
T/W/End plate 10/43.9/1.5mm



DC16

CE 1000V/76A 0.5-25mm²
UL 600V/100A 14-3AWG
T/W/End plate 12/52.8/1.5mm



DC35

CE 1000V/125A 2.5-50mm²
UL 600V/150A 14-1/0AWG
T/W/End plate 16/55.4/-mm




DC2.5-PE

CE — 0.2-4mm²
UL — 26-12AWG
T/W/End plate 5.1/44.5/1.5mm



**DFA2.5 DFA4 DFA6
DFA10 DFA16 DFA35**



PC series



PC10
800V/57A 0.2-10mm²
UL 600V/65A 20-6AWG
T/W/End plate 10.2/42.5/1.6mm



PC10-105AH
800V/57A 0.2-10mm²
UL 600V/65A 20-6AWG
T/W/End plate 10.2/42.5/1.6mm



PC10-PE
— 0.2-10mm²
UL — 24-6AWG
T/W/End plate 10.2/42.5/-mm




D-PC4-TW
D-PC4-TW-PC2.5-TW, PC4-TW



PCDK2.5-PE
— 0.2-2.5mm²
UL — 24-12AWG
T/W/End plate 5.2/63.5/-mm



TPS
TPS - DCTK6



PC1.5
500V/17.5A 0.2-1.5mm²
UL 300V/12A 26-16AWG
T/W/End plate 4.2/42.5/1.5mm



PC16
800V/76A 0.2-16mm²
UL 600V/85A 12-4AWG
T/W/End plate 12.2/42.5/1.5mm



PC16-105AH
800V/76A 0.2-16mm²
UL 600V/85A 12-4AWG
T/W/End plate 12.2/42.5/1.5mm



PC16-PE
— 0.2-16mm²
UL — 12-4AWG
T/W/End plate 12.2/42.5/-mm



PC2.5-TW-PE
— 0.2-2.5mm²
UL — 24-14AWG
T/W/End plate 5.2/50.5/-mm



PCDK4-PE
— 0.2-4mm²
UL — 24-10AWG
T/W/End plate 6.2/63.5/-mm



PC2.5B
800V/24A 0.2-2.5mm²
UL 600V/20A 24-12AWG
T/W/End plate 6.2/42.5/1.5mm




D-PC1.5, D-PC2.5, D-PC16
D-PC1.5 - PC1.5, PC2.5B
D-PC2.5 - PC2.5, PC4, PC6, PC10
D-PC16 - PC16



PC35-105AH
1000V/125A 0.2-35mm²
UL 600V/150A 18-10AWG
T/W/End plate 12.2/42.5/1.5mm



PC35-PE
— 0.2-35mm²
UL — 18-2AWG
T/W/End plate 15.2/50/-mm



PC4-TW-PE
— 0.2-4mm²
UL — 24-12AWG
T/W/End plate 6.2/50.5/-mm



PCKK2.5
500V/24A 0.2-2.5mm²
UL 300V/20A 24-12AWG
T/W/End plate 5.2/56/2.6mm



PC2.5
800V/24A 0.2-2.5mm²
UL 600V/20A 24-12AWG
T/W/End plate 5.2/42.5/1.6mm



PC35
1000V/125A 0.2-35mm²
UL 600V/150A 18-10AWG
T/W/End plate 15.2/50/-mm



PC2.5-PE
— 0.2-2.5mm²
UL — 24-12AWG
T/W/End plate 5.2/42.5/-mm



PC50-PE
— 0.2-4mm²
UL — 24-10AWG
T/W/End plate 6.2/42.5/-mm



PCDK2.5
500V/24A 0.2-2.5mm²
UL 300V/20A 24-12AWG
T/W/End plate 5.2/63.5/1.5mm



PCKK2.5-50A
500V/24A 0.2-2.5mm²
UL 300V/20A 24-12AWG
T/W/End plate 5.2/56/2.6mm



PC4
800V/32A 0.2-4mm²
UL 600V/30A 24-10AWG
T/W/End plate 6.2/42.5/1.6mm



PC50
1000V/150A 25-50mm²
UL 600V/125A 6-1/0AWG
T/W/End plate 20/70.5/-mm



PC4-PE
— 0.2-4mm²
UL — 24-10AWG
T/W/End plate 6.2/42.5/-mm



PC2.5-TW
400V/24A 0.2-2.5mm²
UL 300V/20A 30-12AWG
T/W/End plate 5.2/50.5/2mm



PCDK4
630V/32A 0.2-4mm²
UL 300V/30A 24-10AWG
T/W/End plate 6.2/63.5/1.5mm



PCKK4
500V/32A 0.2-4mm²
UL 300V/30A 26-10AWG
T/W/End plate 6.2/56/2.6mm



PC6
800V/41A 0.2-6mm²
UL 600V/50A 24-8AWG
T/W/End plate 8.2/42.5/1.6mm



PC95
IEC 1000V/232A 35-95mm²
UL 300V/85A 4-3/0AWG
T/W/End plate 25/83/-mm



PC6-PE
— 0.2-6mm²
UL — 24-10AWG
T/W/End plate 8.2/42.5/-mm



PC4-TW
500V/32A 0.2-4mm²
UL 300V/30A 30-10AWG
T/W/End plate 6.2/50.5/2mm



D-PCDK2.5
D-PCDK2.5 - PCDK2.5, PCDK4



PCKK4-PE
— 0.2-4mm²
UL — 26-10AWG
T/W/End plate 6.2/56/-mm



**D-PCKK2.5 D-PCKKB2.5
D-PCKKB10 D-PCKKB10/2.5**



PC4-HE
800V/6.3A 0.2-4mm²
UL 600V/12A 24-12AWG
T/W/End plate 8.2/72.5/-mm



D-PCTK6
D-PCTK6 - PCTK6



E-PC
E-PC - NS35/7.5, NS35/15, NS-32



PC150
IEC 1000V/309A 50-150mm²
UL 300V/85A 2-300MCM
T/W/End plate 31/100/-mm



PC10-TW-PE
IEC — 0.2-10mm²
UL — 20-6AWG
T/W/End plate 10.2/56.5/-mm



PC4-RE-PE
IEC — 0.2-4mm²
UL — 24-10AWG
T/W/End plate 6.2/42.5/-mm



DP-PCKK2.5



PC10-DR
800V/10A 0.5-10mm²
UL 600V/20A 24-6AWG
T/W/End plate 12/62/-mm



PCTK6-BEN
400V/41A 0.5-6mm²
UL 300V/40A 26-10AWG
T/W/End plate 8.2/61/2.2mm



E-PC-DIN15
E-PC-DIN15 - NS15



PC240
IEC 1000V/415A 70-240mm²
UL 800V/380A 0-500MCM
T/W/End plate 36/100/-mm



PC10-PL-PE
IEC — 0.2-10mm²
UL — 20-6AWG
T/W/End plate 10.2/53/-mm



PCKKB2.5
IEC 500V/24A 0.2-2.5mm²
UL 600V/20A 24-12AWG
T/W/End plate 5.2/67/2.5mm



PCIK16



PCMT2.5
400V/16A 0.2-2.5mm²
UL 300V/85A 24-12AWG
T/W/End plate 5.2/46/1mm



D-PCTK6-BEN
D-PCTK6-BEN - PCTK6-BEN



TS-KK3 TS-K
TS-KK3 - PC1.5, PC2.5B, PC2.5, PC4, PCKK2.5, PCKK4
TS-K - PC2.5, PC4, PC6, PC10, PC16, PC35, PCIK16, PCKK35, PCMB2.5



PC2.5B-PE
IEC — 0.2-2.5mm²
UL — 24-12MCM
T/W/End plate 6.2/42.5/-mm



PC2.5-RE
IEC 500V/24A 0.2-2.5mm²
UL 300V/20A 24-12AWG
T/W/End plate 5.2/47.5/1.5mm



PCKKB4
IEC 500V/32A 0.2-4mm²
UL 600V/30A 24-12AWG
T/W/End plate 6.2/67/2.5mm



D-PCIK16
D-PCIK16 - PCIK16



PCMT4
800V/16A 0.2-4mm²
UL 300V/85A 24-12AWG
T/W/End plate 6.2/51/-mm



PCMB2.5
400V/24A 0.2-2.5mm²
UL 300V/20A 28-12AWG
T/W/End plate 5.2/28/1.5mm



ATP-PC
ATP-PC - PC1.5, PC2.5B, PC2.5, PC4, PC6, PC10, PC16



PC95-PE
IEC — 35-95mm²
UL — 4-3/0AWG
T/W/End plate 25/83/-mm



PC4-RE
IEC 500V/32A 0.2-4mm²
UL 300V/30A 24-10AWG
T/W/End plate 6.2/47.5/1.5mm



PCKKB10
IEC 500V/57A 0.2-10mm²
UL 600V/85A 20-6AWG
T/W/End plate 10.2/77.5/1.5mm



PCIK35



D-PCMT2.5 - PCMT2.5



PCMB4
500V/32A 0.2-4mm²
UL 300V/30A 10-26AWG
T/W/End plate 6.2/28/1.5mm



DBE-1
PC Series



PC10-TW
IEC 800V/57A 0.2-10mm²
UL 300V/65A 20-6AWG
T/W/End plate 10.2/56.5/-mm



D-PC2.5-RE - PC2.5-RE, PC4-RE



PCKKB10/2.5
IEC 500V/57A, 24A 0.2-10mm², 0.2-2.5mm²
UL 600V/54A, 20A 20-6AWG, 24-12AWG
T/W/End plate 10.2/77.5/1.5mm



PCIK35-PE



PCTK6
630V/41A 6mm²
UL 300V/45A 26-8AWG
T/W/End plate 8.2/72/2mm




















D-PCMB2.5 D-PCMB6/E
D-PCMB2.5 - PCMB2.5, PCMB4
D-PCMB6/E - PCMB6/E

















DBE-2
PC Series



 PCMT4-DK IEC 690V/16A 0.2-4mm ² UL 600V/15A 24-10AWG T/W/End plate 6.2/63.5/1.5mm	 PCTK6/S IEC 500V/41A 0.5-6mm ² UL 300V/40A 20-8AWG T/W/End plate 8.2/61/2.2mm	 PCTK10-BEN IEC 500V/57A 0.5-10mm ² UL 300V/40A 20-6AWG T/W/End plate 8.2/61/1.5mm	 PCMB6/E IEC 500V/41A 0.5-6mm ² UL 300V/50A 20-8AWG T/W/End plate 8.2/35/1.5mm	 PCMB2.5-PE IEC — 0.2-2.5mm ² UL — 24-12AWG T/W/End plate 5.2/28/-mm	 PCMB4-PE IEC — 0.2-4mm ² UL — 24-10AWG T/W/End plate 6.2/28/-mm
 PCMB 6/E-PE IEC — 0.5-6mm ² UL — 20-8AWG T/W/End plate 8.2/39/-mm	 EB 10-5 EB 10-6 EB 10-8 EB 10-10 EB 10-12 EB 10-15 EB10-5 → PC2.5, PC2K2.5, PC2K2.5, PCMB2.5 EB10-6 → PC2.5B, PC4, PC4K4, PC4K4, PCMB4 EB10-8 → PC6, PC4-HE EB10-10 → PC10 EB10-12 → PC16, PC10-DR, PC1K16 EB10-15 → PC35, PC1K35	 FBRI 10-4 FBRI 10-5 FBRI 10-8 FBRI 10-10 FBRI 10-12 FBRI 10-15 FBRI10-4 → PC1.6 FBRI10-5 → PC2.5, PC2K2.5, PC2K2.5, PCMB2.5 FBRI10-8 → PC6, PC4-HE FBRI10-10 → PC10 FBRI10-12 → PC16, PC10-DR, PC1K16 FBRI10-15 → PC35, PC1K35	 FB2-RTK/S FB3-RTK/S FB5-RTK/S FB10-RTK/S FB2/3/5/10-RTK/S - PCTK6	 SB2-RTK/S SB4-RTK/S SB2/4-RTK/S - PCTK6	 EBA20-6 EBA20-6 - PCMT4
 DLM2 DLM2 - E-PC	 DSB PC Series	 DRPS PC Series	 DBE-2 DBE-1 - NS35/7.5, NS35/15, NS-32	 DLM PC Series	 DLM1 PC Series
 WS series The product is designed according to IEC/EN60947, UL1059, CSA C22.2 No. 158.	 WS1.5 CE 800V/17.5A 0.2-1.5mm ² UL 600V/10A 28-16AWG T/W/End plate 4/52/2.5mm	 WS2.5 CE 800V/24A 0.2-2.5mm ² UL 600V/15A 18-14AWG T/W/End plate 5/53/2.5mm	 WS4 CE 800V/32A 0.2-4mm ² UL 600V/20A 28-12AWG T/W/End plate 6/59/2.5mm	 WS6 CE 800V/41A 0.2-6mm ² UL 600V/20A 24-10AWG T/W/End plate 8/74.5/2.5mm	 WS10 CE 800V/57A 0.2-10mm ² UL 600V/50A 24-8AWG T/W/End plate 10/78/2.5mm
 WS16 CE 800V/76A 0.2-16mm ² UL 600V/65A 24-6AWG T/W/End plate 12/94.5/2.5mm	 WS35 CE 1000V/125A 2.5-35mm ² UL 600V/115A 14-2AWG T/W/End plate 16/99.9/-mm	 WS1.5-PE CE — 0.2-1.5mm ² UL — 28-16AWG T/W/End plate 4/52/2mm	 WS2.5-PE CE — 0.2-2.5mm ² UL — 28-12AWG T/W/End plate 5/53/2.5mm	 WS4-PE CE — 0.2-4mm ² UL — 28-12AWG T/W/End plate 6/59/2.5mm	 WS6-PE CE — 0.2-6mm ² UL — 24-10AWG T/W/End plate 8/74.5/2.5mm
 WS10-PE CE — 0.2-10mm ² UL — 24-8AWG T/W/End plate 10/78/2.5mm	 WS16-PE CE — 0.2-16mm ² UL — 24-6AWG T/W/End plate 12/94.5/2.5mm	 WS35-PE CE — 2.5-35mm ² UL — 14-2AWG T/W/End plate 16/99.9/2.5mm	 D-WS1.5, D-WS2.5 D-WS4, D-WS6 D-WS10, D-WS16 D-WS1.5 → WS1.5, WS1.5-PE D-WS2.5 → WS2.5, WS2.5-PE D-WS4 → WS4, WS4-PE D-WS6 → WS6, WS6-PE D-WS10 → WS10, WS10-PE D-WS16 → WS16, WS16-PE	 WS1.5-TW CE 800V/17.5A 0.2-1.5mm ² UL 600V/10A 28-16AWG T/W/End plate 4/62.5/2.5mm	 WS2.5-TW CE 800V/24A 0.2-2.5mm ² UL 600V/15A 28-14AWG T/W/End plate 5/64/2.5mm
 WS4-TW CE 800V/32A 0.2-4mm ² UL 600V/20A 28-12AWG T/W/End plate 6/73.5/2.5mm	 WS6-TW CE 800V/41A 0.2-6mm ² UL 600V/30A 24-10AWG T/W/End plate 8/93/2.5mm	 WS10-TW CE 800V/57A 0.2-10mm ² UL 600V/50A 24-8AWG T/W/End plate 16/99.9/-mm	 WS16-TW CE 800V/76A 0.2-16mm ² UL 600V/50A 24-6AWG T/W/End plate 12/104.5/2.5mm	 WS1.5-TW-PE CE — 0.2-1.5mm ² UL — 28-16AWG T/W/End plate 4/62.5/2.5mm	 WS2.5-TW-PE CE — 0.2-2.5mm ² UL — 28-14AWG T/W/End plate 5/64/2.5mm

 WS4-TW-PE CE — 0.2-4mm ² UL — 28-12AWG T/W/End plate 6/73.5/2.5mm	 WS6-TW-PE CE — 0.2-6mm ² UL — 24-10AWG T/W/End plate 8/93/2.5mm	 WS10-TW-PE CE — 0.2-10mm ² UL — 24-8AWG T/W/End plate 10/97.5/2.5mm	 WS16-TW-PE CE — 0.2-16mm ² UL — 24-6AWG T/W/End plate 12/104.5/2.5mm	 D-WS1.5-TW, D-WS2.5-TW D-WS4-TW, D-WS6-TW D-WS10-TW, D-WS16-TW D-WS1.5-TW → WS1.5-TW, WS1.5-TW-PE D-WS2.5-TW → WS2.5-TW, WS2.5-TW-PE D-WS4-TW → WS4-TW, WS4-TW-PE D-WS6-TW → WS6-TW, WS6-TW-PE D-WS10-TW → WS10-TW, WS10-TW-PE D-WS16-TW → WS16-TW, WS16-TW-PE	 WS1.5-QU CE 800V/17.5A 0.2-1.5mm ² UL 600V/10A 28-16AWG T/W/End plate 4/73/2.5mm
 WS2.5-QU CE 800V/20A 0.2-2.5mm ² UL 600V/10A 28-14AWG T/W/End plate 5/75/2.5mm	 WS4-QU CE 800V/32A 0.2-4mm ² UL 600V/20A 28-12AWG T/W/End plate 6/86/2.5mm	 WS1.5-QU-PE CE — 0.2-1.5mm ² UL — 28-16AWG T/W/End plate 4/73/2.5mm	 WS2.5-QU-PE CE — 0.2-2.5mm ² UL — 28-14AWG T/W/End plate 5/75/2.5mm	 WS4-QU-PE CE — 0.2-4mm ² UL — 28-12AWG T/W/End plate 6/86/2.5mm	 WS1.5-QU-LD CE 250V/0.5A 0.08-1.5mm ² UL — 28-16AWG T/W/End plate 5/50.5/2.5mm
 WS1.5-QU-100A CE 800V/17.5A 0.08-1.5mm ² UL 600V/10A 28-16AWG T/W/End plate 5/50.5/2.5mm	 D-WS1.5-QU, D-WS2.5-QU D-WS4-QU D-WS1.5-QU → WS1.5-QU, WS1.5-QU-PE D-WS2.5-QU → WS2.5-QU, WS2.5-QU-PE D-WS4-QU → WS4-QU, WS4-QU-PE	 D-WS1.5-QU-100A D-WS1.5-QU-100A - WS1.5-QU-100A	 WS2.5-QU-LD CE 250V/0.5A 0.2-2.5mm ² UL — 28-14AWG T/W/End plate 5/75/2.5mm	 WS2.5P CE 500V/22A 0.2-2.5mm ² UL 300V/15A 28-14AWG T/W/End plate 5/53/2.5mm	 WS2.5P-PE CE 500V/22A 0.2-2.5mm ² UL 300V/15A 28-14AWG T/W/End plate 5/53/2.5mm
 D-WS2.5P D-WS2.5P - WS2.5P - WS2.5P-PE	 D-WS2.5-L D-WS2.5-L	 WS2.5-TW-TA CE 800V/24A 0.2-2.5mm ² UL 600V/20A 28-14AWG T/W/End plate 5/50.5/2.5mm	 WS2.5-TW-TA-PE IEC — 0.2-2.5mm ² UL — 28-14AWG T/W/End plate 5/50.5/2.5mm	 D-WS2.5-TW-TA D-WS4-TW-TA D-WS2.5-TW-TA - WS2.5-TW-TA, WS2.5-TW-TA-PE D-WS4-TW-TA - WS4-TW-TA, WS4-TW-TA-PE	 WS1.5-SD CE 800V/17.5A 0.2-1.5mm ² UL 600V/10A 28-16AWG T/W/End plate 4/42.5/2.5mm
 WS2.5-SD CE 800V/24A 0.2-2.5mm ² UL 600V/15A 28-14AWG T/W/End plate 5/42.5/2.5mm	 WS4-SD CE 800V/32A 0.2-4mm ² UL 600V/15A 28-12AWG T/W/End plate 6/42.5/2.5mm	 WS6-SD CE 800V/41A 0.2-6mm ² UL 600V/30A 24-10AWG T/W/End plate 8/46.5/2.5mm	 WS10-SD CE 800V/57A 0.2-10mm ² UL 600V/30A 24-8AWG T/W/End plate 10/52/2.5mm	 WS16-SD CE 800V/76A 0.2-16mm ² UL 600V/65A 24-6AWG T/W/End plate 12/58/2.5mm	 WS2.5-SD-PE CE — 0.2-2.5mm ² UL — 28-14AWG T/W/End plate 5/42.5/2.5mm
 WS6-SD-PE CE — 0.2-6mm ² UL — 24-10AWG T/W/End plate 8/46.5/2.5mm	 WS10-SD-PE CE — 0.2-16mm ² UL — 24-6AWG T/W/End plate 8/46.5/2.5mm	 WS16-SD-PE CE — 0.2-16mm ² UL — 24-6AWG T/W/End plate 12/58/2.5mm	 D-WS1.5-SD, D-WS2.5-SD D-WS4-SD, D-WS6-SD D-WS10-SD, D-WS16-SD D-WS1.5-SD → WS1.5-SD D-WS2.5-SD → WS2.5-SD, WS2.5-SD-PE D-WS4-SD → WS4-SD, WS4-SD-PE D-WS6-SD → WS6-SD, WS6-SD-PE D-WS10-SD → WS10-SD, WS10-SD-PE D-WS16-SD → WS16-SD, WS16-SD-PE	 WS2.5-DIN15 CE 800V/24A 0.2-2.5mm ² UL 600V/20A 28-12AWG T/W/End plate 6/32/4mm	 WS2.5T-DIN15 CE 800V/24A 0.2-2.5mm ² UL 600V/20A 28-12AWG T/W/End plate 10/32/4mm
 WS2.5-DIN35 CE 800V/24A 0.2-2.5mm ² UL 600V/20A 28-12AWG T/W/End plate 6/37.7/4mm	 WS2.5T-DIN35 CE 800V/24A 0.2-2.5mm ² UL 600V/20A 28-12AWG T/W/End plate 10/37.7/4mm	 WS2.5-MID-CO CE 800V/24A 0.2-2.5mm ² UL 600V/20A 28-12AWG T/W/End plate 6/32/4mm	 D-WS2.5-MID-CO D-WS2.5-MID-CO → WS2.5-MID-CO, WS2.5-MID-CO-SD WS2.5-MID-CO-SD → WS2.5-MID-CO-SD, WS2.5-MID-CO-SD-PE WS2.5T-DIN35 → WS2.5T-DIN35, WS2.5T-DIN35-PE WS2.5T-MID-CO → WS2.5T-MID-CO, WS2.5T-MID-CO-PE	 WS2.5-END-CO CE 800V/24A 0.2-2.5mm ² UL 600V/20A 28-12AWG T/W/End plate 6/32/4mm	 WS2.5T-MID-CO CE 800V/24A 0.2-2.5mm ² UL 600V/20A 28-12AWG T/W/End plate 10/32/4mm

 WS2.5T-END-CO 800V/24A 0.08-2.5mm² 600V/20A 28-12AWG T/W/End plate 10/32/4mm	 D-WS2.5-END-CO WS2.5-END-CO D-WS2.5-END-CO	 WS1.5-DB 800V/17.5A 0.2-1.5mm² 300V/10A 28-16AWG T/W/End plate 5/25/2.5mm	 WS1.5-DB-11A 800V/17.5A 0.2-1.5mm² 300V/10A 28-16AWG T/W/End plate 5/25/2.5mm	 WS1.5T-DB 800V/17.5A 0.2-1.5mm² 300V/10A 28-16AWG T/W/End plate 8/25/2.5mm	 WS2.5-DB 800V/24A 0.2-2.5mm² 300V/15A 28-14AWG T/W/End plate 6/28/2.5mm
 WS2.5-DB-11A 800V/24A 0.2-2.5mm² 300V/15A 28-14AWG T/W/End plate 6/28/2.5mm	 WS2.5-DB-21A 800V/24A 0.2-2.5mm² 300V/15A 28-14AWG T/W/End plate 6/28/2.5mm	 WS2.5T-DB 800V/24A 0.2-2.5mm² 300V/15A 28-14AWG T/W/End plate 10/28/2.5mm	 WS4-DB 630V/32A 0.2-4mm² 300V/20A 28-12AWG T/W/End plate 7/33.5/2.5mm	 WS4T-DB 630V/32A 0.2-4mm² 300V/20A 28-12AWG T/W/End plate 12/33.5/2.5mm	 WSF4-TA 800V/16A 0.2-4mm² 300V/10A 28-10AWG T/W/End plate 6/60/66.6mm
 D-WS1.5-DB D-WS2.5-DB D-WS4-DB D-WS1.5-DB - WS1.5-DB, WS1.5T-DB D-WS2.5-DB - WS2.5-DB, WS2.5T-DB D-WS4-DB - WS4-DB, WS4T-DB	 WHH-WS1.5-DB WS1.5-DB, WS1.5T-DB WHH-WS1.5-DB - WS2.5-DB, WS2.5T-DB WS4-DB, WS4T-DB	 E-WS NS35/7.5, NS35/15	 E-WS-DIN15 E-WS-DIN15 - WS2.5-DIN15, WS2.5T-DIN15 PCMB2.5, PCMB4	 WS1.5-LD IEC 250V/0.5A 0.08-1.5mm² UL — 28-16AWG T/W/End plate 4/73/2.5mm	 WS2.5-LD IEC 250V/0.5A 0.08-2.5mm² UL — 28-14AWG T/W/End plate 5/75/2.5mm
 WS4-LD IEC 250V/0.5A 0.08-4mm² UL — 28-12AWG T/W/End plate 6/59/2.5mm	 WS1.5-TW-LD IEC 250V/0.5A 0.08-1.5mm² UL — 28-16AWG T/W/End plate 4/62/5/2.5mm	 WS2.5-TW-LD IEC 250V/0.5A 0.08-2.5mm² UL — 28-14AWG T/W/End plate 5/64/2.5mm	 WS4-TW-LD IEC 250V/0.5A 0.08-4mm² UL — 28-12AWG T/W/End plate 6/73.5/2.5mm	 WS4-QU-LD IEC 250V/0.5A 0.08-4mm² UL — 28-12AWG T/W/End plate 6/86/2.5mm	 WS4-TW-TA-PE IEC — 0.2-4mm² UL — 28-12AWG T/W/End plate 6/61.5/2.5mm
 WS4-SD-PE 0.2-4mm² UL — 28-12AWG T/W/End plate 6/42.5/2.5mm	 WSK6 IEC 500V/10A 0.2-6mm² UL 600V/10A 24-10AWG T/W/End plate 13/62/2.5mm	 WSK6-ED IEC 500V/10A 0.2-6mm² UL 600V/10A 24-10AWG T/W/End plate 13/62/2.5mm	 WS6-HE IEC 400V/41A 0.2-6mm² UL 300V/30A 24-10AWG T/W/End plate 8/87.5/2.5mm	 WS6-RE IEC 400V/41A 0.2-6mm² UL 300V/30A 24-10AWG T/W/End plate 8/87.5/2.5mm	 WS6-HE-10A IEC 400V/41A 0.2-6mm² UL 300V/30A 24-10AWG T/W/End plate 8/87.5/2.5mm
 WS6-HE/LD IEC — 0.2-6mm² UL — 24-10AWG T/W/End plate 16/87.5/2.5mm	 WS2.5-MID-CO-10A 800V/24A 0.2-2.5mm² 60V/15A 28-14AWG T/W/End plate 6/32/4mm	 WS2.5T-MID-CO-10A 800V/24A 0.2-2.5mm² 60V/15A 28-14AWG T/W/End plate 10/32/4mm	 WS2.5-DB-20A 800V/24A 0.08-2.5mm² 300V/20A 28-12AWG T/W/End plate 6/28/2.5mm	 WS2.5T-DB-20A 800V/24A 0.08-2.5mm² 300V/20A 28-12AWG T/W/End plate 10/28/2.5mm	 WS2.5-DB-30A 500V/24A 0.08-2.5mm² 300V/15A 28-14AWG T/W/End plate 6/28/2.5mm
 WS2.5T-DB-30A IEC 500V/24A 0.08-2.5mm² UL 300V/15A 28-14AWG T/W/End plate 10/28/2.5mm	 WS2.5T-DB-20A 800V/24A 0.08-2.5mm² 300V/20A 28-12AWG T/W/End plate 10/28/2.5mm	 WS2.5-DB-30A 500V/24A 0.08-2.5mm² 300V/15A 28-14AWG T/W/End plate 6/28/2.5mm	 WS2.5T-DB-30A 500V/24A 0.08-2.5mm² 300V/15A 28-14AWG T/W/End plate 10/28/2.5mm	 WFA1.5 WFA 2.5 WFA 4 WFA 6 WFA 10 WFA 16 WFA1.5 - WS1.5, WS1.5-TW, WS1.5-QU, WS1.5-SD... WFA2.5 - WS2.5, WS2.5-TW, WS2.5-QU, WS2.5-SD... WFA4 - WS4, WS4-TW, WS4-QU, WS4-SD... WFA6 - WS6, WS6-TW, WS6-SD... WFA10 - WS10, WS10-TW, WS10-SD... WFA16 - WS16, WS16-TW, WS16-SD...	 WFB1.5 WFB 2.5 WFB 4 WFB 6 WFB 10 WFB 16 WFB1.5 - WS1.5, WS1.5-TW, WS1.5-QU, WS1.5-SD... WFB2.5 - WS2.5, WS2.5-TW, WS2.5-QU, WS2.5-SD... WFB4 - WS4, WS4-TW, WS4-QU, WS4-SD... WFB6 - WS6, WS6-TW, WS6-SD... WFB10 - WS10, WS10-TW, WS10-SD... WFB16 - WS16, WS16-TW, WS16-SD...

**WFC2.5-2 WFC2.5-3 WFC2.5-4
WFC2.5-5 WFC2.5-6 WFC2.5-7
WFC2.5-8**

WFC2.5 - WS2.5, WS2.5-TW, WS2.5-QU, WS2.5-SD...

WFE-2.5

WS2.5/T-DIN15 WS2.5/T-DIN35

WS2.5/T-DB-10A/20A/30A

WS2.5/T-MID-CO/-10A

**EEA1.5 EEA2.5 EEA4
EEA6 EEA10 EEA16**

EEA1.5 - WS1.5, WS1.5-TW, WS1.5-QU, WS1.5-SD...

EEA2.5 - WS2.5, WS2.5-TW, WS2.5-QU, WS2.5-SD...

EEA4 - WS4, WS4-TW, WS4-QU, WS4-SD...

EEA6 - WS6, WS6-TW, WS6-SD, WS6-SD-PE...

EEA10 - WS10, WS10-TW, WS10-SD...

EEA16 - WS16, WS16-TW, WS16-SD...

**TTA1.5 TTA2.5 TTA4
TTA6 TTA10 TTA16**

TTA1.5 - WS1.5, WS1.5-TW, WS1.5-QU, WS1.5-SD...

TTA2.5 - WS2.5, WS2.5-TW, WS2.5-QU, WS2.5-SD...

TTA4 - WS4, WS4-TW, WS4-QU, WS4-SD...

TTA6 - WS6, WS6-TW, WS6-SD, WS6-SD-PE...

TTA10 - WS10, WS10-TW, WS10-SD...

TTA16 - WS16, WS16-TW, WS16-SD...

NS-15

NS35/7.5

NS35/15

NS-32

DEK4, DEK5, DEK6

DEK4 - WS1.5, WS1.5-PE, WS1.5-TW, WS1.5-TW-PE...

WS1.5-QU, WS1.5-QU-PE, WS1.5T-DB...

DEK5 - WS2.5, WS2.5-PE, WS2.5-TW, WS2.5-TW-PE...

WS2.5-QU, WS2.5-QU-PE, WS2.5T-DB, WS2.5T-DB-10A...

WS2.5-SD, WS2.5-SD-10A...

DEK6 - WS4, WS4-PE, WS4-TW, WS4-TW-PE, WS4-QU...

WS4-QU-PE, WS4-DB, WS4T-DB, WS2.5-DB...

ZW5

WS2.5-DIN15, WS2.5T-DIN15

WS2.5-DIN35, WS2.5T-DIN35

WS2.5-MID-CO, WS2.5T-MID-CO

ZB3.5, ZB4

ZB3.5 - DS1.5, DS1.5-PE, DS1.5-TW, DS1.5-TW-PE...

DS1.5-QU, DS1.5-QU-PE

ZB4 - WS1.5, WS1.5-PE, WS1.5-TW, WS1.5-TW-PE...

WS1.5-QU, WS1.5-QU-PE, WS1.5-QU-LD...

WS1.5-SD, WS1.5-SD-PE

ZB5

ZB5 - DS2.5, DS2.5-PE, DS2.5-TW, DS2.5-TW-PE...

DS2.5-QU, DS2.5-QU-PE, DS2.5-SD, DS2.5-SD-PE...

DS2.5-SD-PC1.5, DS2.5-SD-PC1.5-PE, DS2.5-SD-PC1.5-PE...

DS2.5-SD-PC1.5-PE, DS2.5-SD-PC1.5-PE...

DS2.5-SD-PC1.5-PE, DS2.5-SD-PC1.5-PE...

ZB10

ZB10 - DS10, DS10-PE, DS10-SD, DS10-SD-PE...

WS10-TW, WS10-TW-PE, WS10-SD, WS10-SD-PE...

WS10-SD-SD, WS10-SD-SD-PE, DS10-SD-PC1.5...

DS10-SD-PC1.5-PE, DS10-SD-PC1.5-PE, DS10-SD-PC1.5-PE...

DS10-SD-PC1.5-PE, DS10-SD-PC1.5-PE...

DS10-SD-PC1.5-PE, DS10-SD-PC1.5-PE...

WB4

WS1.5, WS1.5-PE, WS1.5-TW, WS1.5-TW-PE...

WS1.5-QU, WS1.5-QU-PE, WS1.5-QU-LD...

WS1.5-SD, WS1.5-SD-PE

WB5

WB5 - DS2.5, DS2.5-PE, DS2.5-TW, DS2.5-TW-PE...

DS2.5-QU, DS2.5-QU-PE, DSKK2.5, WS2.5, WS2.5-PE...

WS2.5-TW, WS2.5-TW-PE, WS2.5-QU, WS2.5-QU-PE...

WS2.5-SD, WS2.5-SD-PE, WS2.5-TW, WS2.5-TW-PE...

WS2.5-SD-PE, WS2.5-SD-PE, WS2.5-SD-PE...

WS2.5-SD-PE, WS2.5-SD-PE...

ZK5, ZK6

ZK5 - DSKK2.5, DSKK2.5-PE, DS2.5, DS2.5-PE...

DS2.5-QU, DS2.5-QU-PE, DS2.5-SD, DS2.5-SD-PE...

DS2.5-SD-PC1.5, DS2.5-SD-PC1.5-PE, DS2.5-SD-PC1.5-PE...

DS2.5-SD-PC1.5-PE, DS2.5-SD-PC1.5-PE...

DS2.5-SD-PC1.5-PE, DS2.5-SD-PC1.5-PE...

DS2.5-SD-PC1.5-PE, DS2.5-SD-PC1.5-PE...

标记条应用在端子上，按客户需求提供颜色和打印内容。
Labeling strips are applied in upper side of terminal blocks,
Color and printing content are optional according to customer requirements.

Model: DG100

DG100 → TZB4, TSZB4, ZB3.5, ZB4, ZB5, ZB6, ZB8, ZB10, DEK4, DEK5, DEK6, ZW5, ZK5, ZK6, WB4, WB5...

