

寶 號  
CUSTOMER

ES

HF  
ROHS  
COMPLIANT

# 承 認 書

SPECIFICATION FOR APPROVAL

品名  
PRODUCT NAME A07 T 9x3x5-CG

客戶料號 批號  
CUSTOMER PART NO. SAMPLE NO.

日期  
DATE. 2019/01/02

Customer Approved Status 客戶承認範圍

FULLY APPROVED (全部承認)	PARTILLY APPROVED (部份承認)	REVISE APPROVED (修訂承認)
Drawn by	Checked by	Approved by
陳雯欣	吳明珠	吳炳勳



KING CORE ELECTRONICS INC.

NO 269, Nanfong Rd., Pingjhen City, Taoyuan County Taiwan


Tel: 886-3-4698855 Fax: 886-3-4691395

Web site: [http:// www.kingcore.com. tw](http://www.kingcore.com.tw)

E-mail: [kc@mail.kingcore.com. tw](mailto:kc@mail.kingcore.com.tw)



承認書 SPECIFICATION FOR APPROVAL

客戶名稱 CUSTOMER	<b>ES</b>	客戶品名CUST.P/N:	
品名 ORDERING	<b>A07 T 9x3x5-CG</b>	鈎寶料號 K.C.P/N:	
(1)圖形 SHAPE :    COATING COLOR: GREEN		A B C	10.0 max mm 3.90 max mm 4.20 min mm
(2)電氣特性 ELECTRICAL REQUIREMENTS:  電感系數 量測值 頻率 AL(nH/N <sup>2</sup> ): 2470±25% 10KHz/50mV  材質(MATERIAL):A07 初導磁率(μi):7000±25%		(3) 測試條件TEST CONDITIONS: 1.儀器 IMPEDANCE ANALYZER: HP4284A 夾具TEST FIXTURE: HP16047C 2.線徑/圈數WINDING:Φ0.5 2UEWx 1Ts	
(4)包裝PACKING  <input type="checkbox"/> IN BULK <input type="checkbox"/> VACUUM <input type="checkbox"/> INSERTION /1袋 PCS/BAGS* 袋 BAG/INNER BOX* 盒 BOXES/CARTON = PCS 一盤 PCS/PLATE* 盤/箱 PLATES/CARTON= PCS PCS/TRAY* TRAYS/CARTON= PCS		(5) 外觀APPEARANCE: (1)破損面積:AREA OF BREAK : <2 mm <sup>2</sup> (2)破損總面積:SUM OF BREAKING AREA :<3 mm <sup>2</sup> (3)破損深度DEPTH OF BREAK :<1 mm	
(6)備註: REMARK		承認 吳炳勳 Approved by 確認 吳明珠 Checked by 製作 陳雯欣 2019/1/2 Drawn by 送樣編號 2018C001A DWG.NO.	

樣品測試數據

**TEST DATA FOR PREPRODUCTION SAMPLES**

客戶名稱 CUSTOMER	ES					
品名 ORDERING CODE	A07 T 9x3x5-CG			鈞寶料號 K.C. P/N		
溫度 TEMP.	24 °C	RH	69 %	送樣編號 DWG.NO.	2018C001A	
線徑 WIRE	0.5 $\phi_{21UEW}$	WINDING	1 Ts	數量 Q'TY	5PCS	
測試儀器 Test Instruments	HP4284A					
項目 Meas. Item.	$AL(nH/N^2)$	A mm	B mm	C mm		
建議規格 Specification	2470±25%	10.0 max	3.90 max	4.20 min		
測試頻率 Test Freq.	10KHz/50mV					
sample#1	2210	9.26	3.26	5.14		
sample#2	2250	9.21	3.22	5.05		
sample#3	2310	9.23	3.31	5.01		
sample#4	2260	9.26	3.26	5.04		
sample#5	2210	9.24	3.26	5.08		
sample#6						
sample#7						
sample#8						
sample#9						
sample#10						
$\bar{X}$	2248	9.24	3.26	5.06		
R	100	0.05	0.09	0.13		
備註 REMARK:					承認 Approved by:	吳炳勳
					確認 Checked by:	吳明珠
					製作 Drawn by:	陳雲欣