

GT Series

Accessories

GT-Y050

50W Mini Soldering iron

50W mini soldering iron,
suitable for small welding components

GT-Y130

130W Soldering iron

130W middle size soldering iron,
suitable for most welding components

GT-Y150

150W High- power Soldering iron

150W high- power soldering iron with sufficient heat
energy, suitable for welding large bonding pad and
weldments

GT-N100

100W Tweezers handle

With soldering and desoldering function,
suitable for soldering and desoldering various SMD devices








GT-X150

150W Desoldering gun





High power, heating up quickly, minimize damage to PCB boards.
New design with replaceable nozzle, heat conducting quickly,
high efficiency and low cost







Integrated heater (50W)

| | | |
|---|---|---|
|  | | |
|  <p>T50-1.3D ACF029603</p> |  <p>T50-2.2D ACF029604</p> |  <p>T50-3.0D ACF029605</p> |
|  <p>T50-0.5I ACF029606</p> |  <p>T50-1.2C ACF029602</p> |  <p>T50-K ACF029607</p> |

















Integrated heater (100W)

| | |
|--|---|
|  | |
|  <p>T100-0.5I ACF029610</p> |  <p>T100-1.3D ACF029608</p> |
|  <p>T100-2.2D ACF029609</p> | |










Desoldering Nozzles (T151)

| | | | |
|---|---|--|---|
|  <p>T151-0.8 ACF029749</p> |  <p>T151-1.0 ACF029633</p> |  <p>T151-1.3 ACF029634</p> |  <p>T151-1.6 ACF029635</p> |
|---|---|--|---|

Integrated heater (130W)


| | | | |
|---|---|--|---|
|  | | | |
|  T130-1.2C ACF029611 |  T130-2.4C ACF029616 |  T130-3.2C ACF029617 |  T130-4.6C ACF029618 |
|  T130-1.6D ACF029619 |  T130-2.4D ACF029620 |  T130-3.2D ACF029621 |  T130-4.6D ACF029622 |
|  T130-0.5I ACF029623 |  T130-1.0I ACF029624 |  T130-K ACF029625 |  T130-C |
|  T130-SI |  T130-0.5IS |  T130-SK | |

Integrated heater (150W)

| | | | |
|---|---|--|--|
|  | | | |
|  T150-3C ACF029626 |  T150-5C ACF029627 |  T150-6.5C ACF029628 |  T150-B ACF029748 |
|  T150-3.2D ACF029629 |  T150-4.6D ACF029630 |  T150-6.5D ACF029631 |  T150-K ACF029632 |


GT Series Soldering handles Performance Test

HEATING UP TIME TEST




Fast heating up to set temperature,
speed up working efficiency.

DROP TEMPERATURE RECOVER TIME CONTROL CURVE




AUTO STANDBY & AUTO SLEEP ILLUSTRATION



- After put handle on holder, standby function can automatically reduce the temperature of nozzle.
- Once reached standby time, the machine will enter auto sleep mode.
- Once power off, the temperature of nozzle will reduce to room temp.
- After power on, the temperature of nozzle quickly heating up to set temperature.

THE SERVICE LIFE OF NOZZLE CAN BE EXTENDED 5 TIMES AT MOST



Using the nozzle base on the temperature illustration, the service life of nozzle can be double extended.

The function of auto sleep, could protect nozzle to extend 5 times of service life.