


Product Description


Lead free soldering pot ,solder tin pot :



LT-380B




LT-350B



Item No.	Power	Frequency	Temperature Range	Solder time	Solder Capacity	Crucible Size	G.W.
LT-350B	200W	50~60HZ	50~520°C	5-10 minutes	0.5kgs	50mm	0.6kgs
LT-380B	250W	50~60HZ	50~480°C	5-10 minutes	1.6kgs	80mm	1.0kgs

Detailed Images



- Made of imported pure titanium plate and has high temperature anti-corrosion treatment.
- Has better anti-corrosion and high temperature resistance.

- Insulated cotton.
- Energy saving and environmental protection .



- High quality PCB board .
- Built-in insulation fuse to extend long lifespan
- Thickened steel case, not easily deformed .



Packing & Delivery


LT350B/LT380B



Package	
LT-350B	
Package list	Main unit:1pc User manul:1pc
Size	9.5(L) * 9.5 (W) * 9.5 (D) cm
Weight	0.6 kg
LT-380B	
Package list	Main unit:1pc User manul:1pc
Size	23(L)*14.4(M)*8.2(D) cm
Weight	1.0 kg

Related Products

ATTEN



ATTEN



LEAD FREE	TS-99-35030	TS-99-38050	TS-99-38050
	50g	50g	50g
	0.5mm	0.8mm	1mm
LEAD FREE	TS-99-35100	TS-99-38100	TS-99-38100
	100g	100g	100g
	0.5mm	0.8mm	1mm
LEAD FREE	TS-99-35500	TS-99-38500	TS-99-38500
	500g	500g	500g
	0.5mm	0.8mm	1mm