ST-1503D+/ST-9003D/ST-1203D/ST-3003D程

Heavy Duty Soldering Station

Features


- Principle of high-frequency eddy current heating.
- Three sets of quick temperature storage, switch freely.
- Adjustable intelligent sleep standby, effectively ensuring safety and extending product lifespan.
- One click infrared temperature calibration function, quickly calibrate the temperature of the product.

Specification

Model	ST-1503D+	ST-9003D	ST-1203D	ST-3003D
Voltage	AC 230V±10% 50Hz (110V±10% 60Hz)			
Power	150W	90W	120W	300W
Temperature Range	80°C~600°C	80°C~500°C 80°C~600°C		
Heating Principle	High Frequency Eddy Current Heating			
Handle Model	SP-H150+	SP-H090	SP-H120	SP-H300
Handle Power	≥150W	≥90W	≥120W	≥300W
Heater	HS-3150H	HS-3090H	HS-3120H	HS-3300H
Soldering Tips	T500 Series	T300 Series	T120 Series	T330 Series
communication Function	Support (RS485)			
IR Temperature Calibration	Support			
Tip-to-ground Resistance	≤2Ω			
Tip-to-ground Potential	≤2mV			
Dimension(Host)	200X125X120mm 240X125X120mm			
Weight(Host)	≈3.72kg	≈3kg	≈3.3kg	≈2.3kg

Package List

Model	Packing List		
ST-1503D+	Main unit x1	Soldering iron handle x1	
ST-9003D	Power cord x1 User manual x1	Iron stand x1 Ground wire x1	
ST-1203D		Certificate x1	
ST-3003D	•	x1 Power cord x1 Certificate x1 Hex wrenches x1 User manual x1	











Replacement of Heating Components







You can choose a soldering tip according to your needs, suitable for various soldering processes (Bent tip soldering iron tip, suitable for soldering in narrow spaces)







You can choose a soldering tip according to your needs to easily handle large solder joint processes (Groove shaped soldering tip, sufficient soldering flux)

Optional Tips

