

CHINT Dual Row Screw Terminal Block Strip 600V 300A 400A 600A Terminal Connection Terminal Row

TC-Series

DESCRIPTION

DESCRIPTION

Brand Name: CHNT

Model Number: TC-Series

Connection mode: European connection

The scope of application

TC is suitable for AC 50Hz or 60Hz rated voltage up to 600V, rated current up to 600A circuit for connection between wires. This series of products using screw crimp connection, the wire end to be crimped connection nose to connect with the terminal. Use screws to install.


Meet the standard: GB / T 14048.7, IEC 60947-7-1.




序号	产品型号	额定 电流	组数	外形尺寸(mm)						ANALY AND AA
				L	L1	D	E	F	G	接线螺丝
1	TC-603	60A	3	86	28.5	43	38	5.2	9.6	M6
2	TC-604	60A	4	114.5	28.5	43	38	5.2	9.6	M6
3	TC-1003	100A	3	103	34	55	42	5.2	9.6	M6
4	TC-1004	100A	4	136	34	55	42	5.2	9.6	M6
5	TC-1503	150A	3	115.3	38.5	66	46	6.3	11	M8
6	TC-1504	150A	4	153.5	38.5	66	46	6.3	11	M8
7	TC-2003	200A	3	132	44	72	51	7.9	11.2	M8
8	TC-2004	200A	4	176.5	44	72	51	7.9	11.2	M8
9	TC-3003	300A	3	165.5	55	90	58	7.9	11.2	M10
10	TC-3004	300A	4	219.5	55	90	58	7.9	11.2	M10
11	TC-4003	400A	3	165.5	55	90	60	7.9	11.2	M10
12	TC-4004	400A	4	219.5	55	90	60	7.9	11.2	M10
13	TC-6003	600A	3	206.5	68.5	100.5	80	8.5	12	M12
14	TC-6004	600A	4	275.5	68.5	100.5	80	8.5	12	M12

2 外形及安装尺寸

TC系列三组外形及安装尺寸





TC系列四组外形及安装尺寸

