



# SHENZHEN TIANDIAN TECHNOLOGY CO.,LTD

Product Name:Omni rubber antenna

Product No.:TDA-1012

|                                                                                                                                         |                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Frequency range                                                                                                                         | 2400-2500Mhz                            |
| Gain                                                                                                                                    | 3dBi                                    |
| VSWR                                                                                                                                    | $\leq 1.5$                              |
| Polarization                                                                                                                            | Vertical                                |
| Input impedance                                                                                                                         | 50 $\Omega$                             |
| Power                                                                                                                                   | 50w                                     |
| Size                                                                                                                                    | 108mm+/-2mm                             |
| Connector                                                                                                                               | SMA male or RP-SMA male                 |
| Cable                                                                                                                                   | SMA to ipex 1.13 coaxial cable optional |
| Color                                                                                                                                   | Black/White                             |
| Adjust angle                                                                                                                            | 90~135~180°                             |
| Weight                                                                                                                                  | 6.5g                                    |
| Operation Temperature                                                                                                                   | - 30 °C ~ + 85 °C                       |
| Storage Temperature                                                                                                                     | - 30 °C ~ + 85 °C                       |
| Omni rubber antenna,frequency and connector and color can be customized,4g lte ,gsm 3g,2.4g wifi,2.4g 5.8g ,868mhz 915mhz or customized |                                         |





### Omni Rubber Antenna

2.4G Wifi Gsm/3g 2.4/5.8G 433/868/915Mhz etc

SMA male | RP-SMA male



### OEM/ODM Mini Antenna

2.4G Wifi Gsm/3g 2.4/5.8G 433/868/915Mhz etc



---

E-mail:nancy@tdantenna.com / Phone/Wechat:+86 13652420067 / Skype:nancy@tdantenna.com

[Https://tdantenna.en.alibaba.com](https://tdantenna.en.alibaba.com) / Tel: +0086-0755-89565067

Add:6th floor Building 2,Anbo Technology Baolong Factory No.2, Baolong 4th Road, Baolong Community,  
Baolong Street, Longgang District, Shenzhen, Guangdong ,China ,Zip code:518116

---