

[100/250/500]FT/RoII

- Blank 100Feet/Roll
250: 250Feet/Roll
500: 500Feet/Roll
- Black Standard
N:Without NELTRON
- Number Pin
- 1.27mm Pitch Type

F				DRAWN: LISY	GENERAL TOLERANCE: .X=±0.20 .XX=±0.15	 Neltron Industrial Co., Ltd.	
E							
D				CHECKED: JERRY	UNIT: MM	DESCRIPTION: FLAT CABLE ASSEMBLY	SIZE A4
C	02—JAN—2025		LUCY		SCALE:		
B	13—MAY—2024	Add Options	YIZHEN	APPROVAL: RORY	SHEET: 1/4	PART NO: 830—127—XXC—X—XXX 	
A	16—FEB—2023	(P0001)	LISY				
REV	DATE	FILE	BY		PROJECTION: 		

Pin No	Carton Size(MM)	FT/R	R/CTN
4-6	415*415*205	100 FT	36
8-10	415*415*180	100 FT	28
12-16	415*415*180	100 FT	20
18-20	415*415*180	100 FT	16
24-26	415*415*135	100 FT	12
30-40	415*415*135	100 FT	8
44-50	415*415*180	100 FT	8
60-64	430*430*110	100 FT	4

830-127-XXC-XXX:

UL FILE NO: E315658	Insulation: PVC
Style: 2651 VW-1	Type: I A/B
Date Code:	Mfg Date:
Color: GRAY	Flame Classifications: FT1,FT2
Insul: 9 MILES	Thickness: 0.2 mm
Temperature Rating: 105°C	Voltage Rating: 300V
Conductors: Size: 28 AWG	Length: 100 FT
APPLIANCE WIRING MATERIAL SUITABLE FOR USE ON INTERNAL WIRING OF ELECTRONIC EQUIPMENT	

830-127-XXC-N-XXX:

Customer specified label

Customer specified label

P/N:
Q' TY:
LOT NO:

LABEL:


紙盤 T=0.4CM For 4P
T=0.3CM
內徑 ϕ 7.9CM
外徑 ϕ 20.5CM

UL LABEL

紙盤 T=0.4CM For 4P
T=0.3CM
內徑 ϕ 7.9CM
外徑 ϕ 20.5CM

UL LABEL

示意圖:



F				DRAWN:	GENERAL TOLERANCE:	Neltron Connectors Neltron Industrial Co., Ltd.	
E				LISY	.X=±0.20 .XX=±0.15		
D				CHECKED:	UNIT: MM	DESCRIPTION: FLAT CABLE ASSEMBLY 100FT Packing List	
C	02-JAN-2025		LUCY	JERRY	SCALE:		
B	13-MAY-2024	Add Options	YIZHEN	APPROVAL:	SHEET: 2/4	PART NO: 830-127-XXC-X-XXX	
A	16-FEB-2023	(P0001)	LISY	RORY	PROJECTION:		
REV	DATE	FILE	BY			SIZE A4	

Pin No	Carton Size(MM)	FT/R	R/CTN
4-6	315*315*270	250 FT	12
8-10	315*315*270	250 FT	11
12-16	315*315*230	250 FT	7
18-20	315*315*230	250 FT	6
24-26	315*315*230	250 FT	5
30-34	315*315*230	250 FT	4
37-40	315*315*190	250 FT	3
44-50	315*315*160	250 FT	2
60-64	315*315*190	250 FT	2

830-127-XXC-XXX:

UL FILE NO: E315658	Insulation: PVC
Style: 2651 VW-1	Type: I A/B
Date Code:	Mfg Date:
Color: GRAY	Flame Classifications: FT1,FT2
Insul: 9 MILES	Thickness: 0.2 mm
Temperature Rating: 105°C	Voltage Rating: 300V
Conductors: Size: 28 AWG	Length: 250 FT
APPLIANCE WIRING MATERIAL SUITABLE FOR USE ON INTERNAL WIRING OF ELECTRONIC EQUIPMENT	

830-127-XXC-N-XXX:

Customer specified label


Customer specified label

P/N:
Q' TY:
LOT NO:

LABEL:

紙盤 T=0.4CM For 4P
T=0.3CM
內徑 ϕ7.9CM
外徑 ϕ31.0CM

示意圖:



F				DRAWN: LISY	GENERAL TOLERANCE: .X=±0.20 .XX=±0.15	 Neltron Industrial Co., Ltd.	
E							
D				CHECKED: JERRY	UNIT: MM	DESCRIPTION: FLAT CABLE ASSEMBLY 250FT Packing List	SIZE A4
C	02-JAN-2025	 LUCY			SCALE:		
B	13-MAY-2024	Add Options	YIZHEN	APPROVAL:	SHEET: 3/4	PART NO: 830-127-XXC-X-XXX 	
A	16-FEB-2023	(P0001)	LISY				
REV	DATE	FILE	BY	RORY	PROJECTION: 		

Pin No	Carton Size(MM)	FT/R	R/CTN
4-6	430*430*160	500 FT	7
8-10	430*430*160	500 FT	6
12-14	430*430*160	500 FT	5
15-16	430*430*130	500 FT	4
18-20	430*430*110	500 FT	3
24-34	430*430*110	500 FT	2
37-40	430*430*130	500 FT	2
44-64	430*430*110	500 FT	1

830-127-XXC-XXX:

UL FILE NO: E315658	Insulation: PVC
Style: 2651 VW-1	Type: I A/B
Date Code:	Mfg Date:
Color: GRAY	Flame Classifications: FT1,FT2
Insul: 9 MILES	Thickness: 0.2 mm
Temperature Rating: 105°C	Voltage Rating: 300V
Conductors:	Size: 28 AWG Length: 500 FT
APPLIANCE WIRING MATERIAL SUITABLE FOR USE ON INTERNAL WIRING OF ELECTRONIC EQUIPMENT	


P/N:

Q' TY:

LOT NO:

LABEL:


紙盤 T=0.4CM For 4P
T=0.3CM
內徑 ø7.65CM
外徑 ø43.5CM



UL LABEL

830-127-XXC-N-XXX:

Customer specified label




Customer specified label

紙盤 T=0.4CM For 4P
T=0.3CM
內徑 ø7.65CM
外徑 ø43.5CM

UL LABEL

示意圖:



F				DRAWN:	GENERAL TOLERANCE:	Neltron Connectors Neltron Industrial Co., Ltd.	
E				LISY	.X=±0.20 .XX=±0.15		
D				CHECKED:	UNIT: MM	DESCRIPTION: FLAT CABLE ASSEMBLY 500FT Packing List	SIZE
C	02-JAN-2025		LUCY	JERRY	SCALE:		
B	13-MAY-2024	Add Options	YIZHEN	APPROVAL:	SHEET: 4/4	PART NO: 830-127-XXC-X-XXX	A4
A	16-FEB-2023	(P0001)	LISY	RORY	PROJECTION:		
REV	DATE	FILE	BY				