
FUJITSU Battery

Japanese

Sales Office

Inquiry

TOP > Rechargeable Battery > Premium High Capacity





Premium High Capacity

The perfect rechargeable battery for high drain professional devices when longest runtime is the most important factor.



#Battery capacity is based on IEC61951-2 2011(7.3.2)



vs. FUJITSU Standard model



Rechargeable up to 500 times

#Cycle time is based on IEC61951-2 2011(7.5.1.3)



Ready to use

It retains approx. 85% of its charged capacity, even after 1 year storage.

Low Self-Discharge



∧ Page Top



Environmentally friendly Partially charged by solar energy

Pre-charged at the factory before shipping.



Suitable for low temperature

"Fujitsu Rechargeable Battery" can be used at temperature as low as -20 degrees.



Line up Go

Page Top

Privacy Policy | Inquiry | FDK Coporate Global Site


© 2015 FDK CORPORATION



Japanese

Sales Office Inquiry

TOP > Rechargeable Battery > Premium High Capacity > lineup



Ready to Use Rechargeable Batteries



HR-3UTHCEX(4B)

Pcs/Pack : 4 Barcode : 4976680816117 QTY/CTN: 40pcs

N/W: 5.1kgs G/W: 5.8kgs

Measurement (L×W×H/mm) : 322×351×143



HR-3UTHCEX(2B)

Pcs/Pack: 2

Barcode: 4976680571665 QTY/CTN: 40pcs

N/W: 2.7kgs G/W: 3.4kgs

Measurement (L×W×H/mm) : 322×351×143



HR-4UTHCEX(4B)

Pcs/Pack: 4

Barcode: 4976680816131 QTY/CTN: 40pcs N/W: 2.4kgs

G/W: 2.9kgs

Measurement (L×W×H/mm) : 248×283×143



HR-4UTHCEX(2B)

Pcs/Pack: 2
Barcode: 4976680816124
QTY/CTN: 40pcs
N/W: 1.4kgs
G/W: 1.9kgs
Measurement (L×W×H/mm): 248×283×143

Page Top

Privacy Policy | Inquiry | FDK Coporate Global Site

© 2015 FDK CORPORATION